BOUT

American Vegetable Grower

Antibiotics-for

sgrow

a've got manager

earance ybrid on

MEMPHIS 2 VINELAND, N.J.



It's Here to Stay: Row Crop Air Spraying



"When it comes to tires we're a 100%

FAMILY!

Based on our past experience we wouldn't farm without Firestone tires"

-Cecil Dyer and Sons, Delphi, Indiana.

For 15 years Firestone tires have been a vital part of the successful farming operation of Cecil Dyer and his sons, Bill and Ben. The Dyers farm 900 acres of top-notch sandy loam soil growing corn and alfalfa for their extensive cattle-feeding program.

Explaining why Firestone Champion Ground Grip® tires are a must in this vast farming operation, Cecil Dyer says, "We wouldn't want to farm without Firestone tires. They outwear everything we've ever tried and hold up much better. Never have to worry about them letting us down during busy field days. We wouldn't even consider buying anything else even though we've been offered 'tire bargains.' We're a 100% Firestone family."

The Dyers, like the majority of farmers, have found Firestone tires are the soundest, most economical investment they can make. To the Dyers, outstanding dealer service and Firestone dependability make the big difference.

Your Firestone Dealer or Store is the best place for all your tire, battery and service needs.



In addition to using Firestones on all farm equipment, Firestone tires roll on the Dyers' three cars. Firestone Town and Country tires are used in winter months.



BETTER RUBBER FROM START TO FINISH

Enjoy the Voice of Firestone on Radio or Television every Monday evening over ABC

Copyright 1957, The Firestone Tire & Rubber Company

Entered as second class matter at Post Office at Willoughby, Ohio, under the Act of March 3, 1879. Additional entry at Mount Morris, Illinois.

MAY, 1957

ange of id h and

which reed seeds, I-borne , no ground

day ...

controls er emulsion,

other


fective!
d is
equipment.
etry's
cluding dust,

these oducts

HOUSTON

n

3



Making sure of tomorrow's crops

Crops need water? All this farmer has to do is turn on his Fairbanks-Morse irrigation pump-and up to 4500 gallons per minute flows into his irrigation ditch.

Like thousands of other farmers and ranchers, he's making sure of tomorrow's crops and making more money today-by investing in an economical, easy-running, dependable Fairbanks-Morse irrigation pump, designed for the specific irrigation job he wants done.

Whether you plan to pump a well, ditch, stream or river -into overhead sprinkler lines or ditches-you'll find the exact pump you need in the broad Fairbanks-Morse line. Your F-M Field Engineer will work closely with your F-M Dealer to select the right pump for your requirements. For information, write Fairbanks, Morse & Co., Dept. AV-5, 600 So. Michigan Ave., Chicago 5, Ill.



AIRBANKS-MORSE

a name worth remembering when you want the BEST

PUMPS . SCALES . DIESEL LOCOMOTIVES AND ENGINES . ELECTRICAL MACHINERY . RAIL CARS HOME WATER SERVICE EQUIPMENT . MOWERS . MAGNETOS

AMERICAN

May, 1957 Vol. 5 No. 5

FEATURED IN THIS ISSUE

Cover photo courtesy Associated Seed Growers, Inc. What About Antibiotics?...... 9 By W. J. Zaumeyer By G. Steiner 20 Years of Potato Spraying......12 By J. D. Wilson and J. P. Sleesman By Paul F. Young Systemic Insecticides 16 By F. L. McEwan Ohio's First Greenhouse Conference. 20 By Eldon S. Banta Weed Control By E. K. Alban Processed Potatoes . . By H. J. Evans DEPARTMENTS Letters to the Editor 6 Calendar of Coming Meetings and Exhibits.... Answering Your Questions......25 State News Special Report......27

AMERICAN VEGETABLE GROWER

Editorials38

AMERICAN FRUIT GROWER PUBLISHING CO. Willoughby, Ohio E. G. K. MEISTER,

E. G. K. MEISTER, Publisher
RICHARD T. MEISTER, Editor
Editorial Staff
E. K. GOULD, Managing Editor
ELDON S. BANTA
M. P. RASMUSSEN
GEORGE M. ROSS, Art Director
J. S. BENDER, Production Manager
EDWARD L. MEISTER, Director of Advertising

EDWARD L. MEISTER, Director of Advertising

District Advertising Offices

NEW YORK, W. J. Martin and Company, 550 Fifth
Ave. Phone—Plaze 7-4554

NEW JERSEY, W. J. Martin and Company, 390
Terhune Ave., Paramus. Phone—Colfax 2-4204

CHICAGO, Peck and Billingslee, Inc., 185 N.
Wabash. Phone—Dearborn 2-0272

SAN FRANCISCO, McDonald-Thompson, 425 Market 51. Phone—Pukeh 6-1047

LOS ANGELES, McDonald-Thompson, 3727 West
6th 51. Phone—Dunkir 7-5391

SEATTLE, McDonald-Thompson, 1008 Western Ave.
Phone—Elliot 3767

HOUSTON, McDonald-Thompson, 2217 Montrose
Biology Phone—Seatson 3-4711

BENVER, McDonald-Thompson, 222 Colorado National Bank Bidg. Phone—Kaystone 4-4649



AMERICAN VEGETABLE GROWER is put American Fruit Grower Publishing Co., W. Ohlo, E. G. K. Meister, Publisher and Ch the Board; Edward L. Meister, President F. Meister, General Manager; Gilbert Mei F. Meister, Subscription price \$1.00 per President, weneral Manager; Gilbert Meister, Vice-President, Subscription price \$1.00 per year in U.S. and possessions, to Canada and other foreign countries \$1.50. Single current copies 25c, copies over one year old 75c. When changing your address, send us old as well as new; send the address label from your last copy; allow 5 weeks for the first copy to reach your new address.

Postmaster: Please send change of address "Form 3579" to AMERICAN VEGETABLE GROWER, Wil-loughby, Ohio.

AMERICAN VEGETABLE GROWER

opp. ble Grower) 57 No. 5 ISSUE / d Seed Growers, Inc. ?..... 9 10 aying 12 P. Sleesman 16 Conference. 20

BLE GROWER hly by PUBLISHING CO. Ohio TER,

ns..........25

etings

ER, Editor sff'
ging Editor
ELDON S. BANTA
M. P. RASMUSSEN
K
Art Director
ion Manager
ttor of Advertising

o Offices
Company, 550 Fifth
a 7-464
and Company, 390
me—Colfax 2-4204
galea, inc., 185 N.
born 2-0272
Thompson, 625 Marnon 5-0647
ompson, 3727 West
fix 7-5391
1008 Western Avs.
3767
on, 3217 Montrose
n 9-6711
222 Colorado NeKeystone 4-4669

WER is published by ng Co., Willoughby, er and Chairman of President; Richard illbert Meister, Vice-\$1.00 per year in a and other foreign copies 25c, copies

of address "Form ETABLE GROWER



Unique, New-Type Link Rod Reduce Potato Damage

Cutting and bruising damage to potatoes of the lightest skin is minimized with John Bean's new one piece, molded-to-steel rubber-cushioned rods. They're used as flight links on the digger apron chain (every third link) and are used entirely on the rear cross conveyor.

New 30" Digger Blade Gives Greater Harvesting Capacity

Cleaner, faster, more complete harvesting is assured with the wider, new design of model 30's digger blade. Hydrauli-cally operated from the tractor seat off the tractor hydraulic system. Square rod digger bar for operating in muck avail-able.

Sorting Table Handles Potatoes Gently

Potatoes are kept in their natural condition with the help of rubber belting on the adjustable, tilting, sorting table.

Ruggedly Built Engine, Safe Clutches Minimize Idle Time

There's less maintenance and field servicing with heavy-duty slip clutches on all major drives of the new John Bean model 30. Equipped with a long-life 13 hp air cooled engine.

Easier Transport, Storage

Less transport and storage space is required with John Bean's rotatable bulk loader that turns back against the frame making the machine passable in areas of one-half the width that otherwise would be required.

Saves Labor Costs

The new John Bean model 30 harvester takes the place of large crews, and its clean, easy operation makes it easier to keep good help with you. It can be operated with a crew of 3 to 5.

MODEL 60 PROVIDES FAST, BIG CAPACITY HARVESTING

This improved two-row direct or indirect harvester is equipped with a powerful 30 hp Wisconsin VH-4 air cooled engine with starter, generator, and built-in hydraulic pump to operate hydraulic controls for digger blade depth and bulk loader height. Hydraulically controlled rear wheel steering and tandem rear axle for increased flotation in soft soil are available at extra cost.

ECONOMY MODEL 26ATR

For one-row harvesting the tractor PTO operated John Bean model 26ATR is ideal for economical harvesting under light soil conditions.


See your John Bean dealer for details on this profit-making equipment or write for catalog.



Division of Food Machinery and Chemical Corporation



- Produces better crops than possible under glass.
- Permanent greenhouses can be built at a fraction of the cost of glass construction.
- Allows outdoor growers the opportunity to grow inside at low cost.
- Guarantees astonishing fuel savings when used as an insulating layer under existing glass.



SISAL-GLAZE

beats glass and ordinary plastics 7 ways:

- 1. Minimum 10-year life indicated by scientific tests.
- 2. Maximum ultraviolet and infrared transmission.
- 3. No "sunburn" after transplanting outdoors.
- 4. Big fuel savings from reduced heat loss.
- 5. Cuts labor construction costs.
- 6. No sagging.
- 7. Low cost means more growing acreage per dollar invested.

Caution: As Sisal-Glaze is not a temporary material, a soundly designed permanent structure must be utilized for best results.

For complete information, supply source, and sample, write . . . American Sisalkraft Corporation, Dept. AV-5, Attleboro, Mass.

*T.M. PLAX CORP.

American SISALKRAFT Corporation

101 Park Ave

205 W. Wacker Dr. Chicago 6

55 New Montgomer San Francisco 5

LETTERS

TO THE EDITOR

Truck Farm From Swamp

Dear Editor:

We try to grow all the vegetables that are usually grown in a home garden. We have 4½ acres of sandy soil where we grow early vegetables, asparagus, melons, raspberries, and strawberries, and 3 acres of peat marsh where the smaller vegetables are planted.

AMERICAN VEGETABLE GROWER is wonderful and helpful in our enterprise. Sturgis, Mich. Clarence & Edith Fritz Klinger Lake Truck Farm



Courtesy Sturgis Daily Journal

Clarence and Edith Fritz with some of the produce grown on their Klinger Lake Truck Farm,

The Fritz truck farm was developed in a period of 10 years from a swamp into one of the most productive and fertile acreages in the area. Clarence drained and cleared the land, built three small ponds, installed an irrigation system, and built a sales room in their garage. Edith handles the retail sales of their produce which supplies a large section of St. Joseph County with fresh, home-grown fruits and vegetables.—Fed.

Frost Control for Celery

Dear Editor:

I am a celery grower and we use tent paper for frost protection. I would like information on the latest scientific methods of frost control. Kalamazoo, Mich. Chris Wenke

Reader Wenke will find a full report on the latest practices in our April issue.—Ed.

Help in Training Students

Dear Editor:

After reading the letter about the college students' judging contest (Feb., 1957, pg. 6), I would like to say that L. F. Martin's point is well taken. As an adult advisor for National Junior Vegetable Growers Association I'd like to suggest that he attend one of the NJVGA judging and identification contests. At the Atlanta, Ga., convention, the National Canners Association, Washington, D. C., made movies of all the interesting events during the NJVGA convention. Write Dr. Charles H. Mahoney if you want to run the film.

Also Prof. Leonard A. Yager, extension, Montana State College, Bozeman, Mont., has spent a good deal of time making slides of the various items used in training students to identify and judge vegetables.

Mundelein, Ill. William R. Laechelt

AMERICAN VEGETABLE GROWER

ERS

Swamp

he vegetables that home garden. We oil where we grow gus, melons, rasps, and 3 acres of smaller vegetables

GROWER is wonenterprise. nce & Edith Fritz Lake Truck Farm



th some of the pror Lake Truck Farm,

was developed in a swamp into one ad fertile acreages ained and cleared ll ponds, installed built a sales room handles the retail which supplies a eph County with and vegetables.—

elery

and we use tent on. I would like scientific methods

Chris Wenke

d a full report on April issue.—Ed.

udents


about the college (Feb., 1957, pg. at L. F. Martin's adult advisor for e Growers Assost that he attending and identificanta, Ga., conveniers Association, movies of all the the NJVGA conles H. Mahoney m.

Yager, extension, Bozeman, Mont., me making slides in training sture vegetables. liam R. Laechelt

SETABLE GROWER

TENNESSEE CORPORATION

FUNGICIDES AND CULTURAL CHEMICALS



CONTROL FUNGUS Diseases

TRI-BASIC

COPPER SULFATE

A chemically stable copper fungicide containing not less than 53% metallic copper... For spraying or dusting truck and citrus crops. Especially effective in controlling persistent fungus diseases. Prevent fungus diseases through application of Tri-Basic Scopper Sulfate before fungus attacks.



COP-O-ZINK

(A Neutral Copper-Zinc Fungicide)

For disease control and prevention. Particularly effective on pototoes, also on many vegetable crops. Cop-O-Zink is excellent for correcting Copper and Zinc deficiencies and for stimulating plant growth. Contains 48% Copper and 4% Zinc. Can be applied directly to the plant in spray or dust form.



DRRECT

Nutritional Deficiencies

NU-IRON

(Nutritional Iron)

A neutral Iron compound containing 30% Iron as metallic. Chelated Iron 10% as metallic — applied to foliage of plants for correction of Iron deficiencies.

NU-Z

(Nutritional Zine)

Nu-Z contains 52% metallic zinc . . . Can be applied directly to the plant in spray or dust form . . . Stimulates plant growth and corrects zinc deficiencies.

NU-MANESE

(Manganous Oxide

An extremely effective nutritional manganese product for correcting manganese deficiencies due to low manganese content of the soil . . . Applied in spray or dust form.

NU-M

(Nutritional Manganese)

A nutritional manganese compound to be fed to the plants through direct application in spray or dust form... To correct manganese deficiencies and to stimulate healthier plant growth.

ES-MIN-EL

and CUSTOM MIXED MINERAL MIXTURES

The essential mineral elements . . . Contains Manganese, Copper, Iron, Zinc, Boron and Magnesium, all essential to healthy, productive soil. Fruits and vegetables rich in vitamins cannot grow in soil poor in minerals. For soil application. ES-MIN-EL in spray or dust form for direct application to the plants is also available . . . Contains nutritional Manganese, Zinc and Copper.

WE WILL CUSTOM MIX MINERAL MIXTURES TO YOUR OWN SPECIFICATIONS IN LARGE OR SMALL QUANTITIES.





Tennessee's Nu-Z, Nu-Iron, Nu-M and Tri-Basic Copper Sulfate are especially suited for use in preparing nutritional and fungicidal spray and dust mixtures.

For Information on These Nutritional Products, Write, Wire or Phone Us.

TENNESSEE



CORPORATION

617-629 Grant Building, Atlanto, Georgia



How many tomatoes can a vine hold? ... use **DITHANE M-22**

After using DITHANE M-22 (maneb) for disease control, a lot of growers remark how the vines look so crowded with big, choice tomatoes. No one has yet counted the exact number per acre, but experiment stations have measured up to 15% higher yield with DITHANE M-22 than with other types

of fungicides. DITHANE M-22 results in maximum yields because it gives maximum protection from anthracnose, early blight and late blight, gray leaf spot and Septoria leaf spot. With this manganese-containing fungicide, vines also develop a greener and more luxuriant foliage. Use DITHANE M-22 and see.

RHOTHANE FOR INSECTS

For better tomato insect control, use RHOTHANE with DITHANE. RHOTHANE checks fruitworms, hornworms, pinworms, flea beetles, psyllids, and thrips.

RHOTHANE and DITHANE are trademarks, Reg. U. S. Pat. Off. and in principal foreign countries.



Chemicals for Agriculture

ROHM & HAAS

WASHINGTON SQUARE, PHILADELPHIA 5, PA.

Representatives in principal foreign countries

be

ye

tu

pla





What About ANTIBIOTICS

Two bean diseases controlled by artiblotics. Upper left phote—Control of bean anthraceose: plant at left was surrected; plant at right was sprayed with Oligomycin. Above — Control of down mildew of lima beans: the plants at left were treated with streptomycin; those at

Do antibiotics have a place in control of vegetable diseases? And are they practical from a cost standpoint?

By W. J. ZAUMEYER U.S. Department of Agriculture

RESEARCH during the past few years has shown the effectiveness of antibiotics in the control of certain plant diseases.

Antibiotics are actually complex organic chemicals which countless soil-inhabiting microorganisms have been manufacturing for millions of years. Little is known about their action except that they destroy certain disease-producing organisms or inhibit their growth. One of their features is that they are absorbed by the plant rather than remaining on the surface as most fungicides do.

Tests of many antibiotics by plant pathologists have uncovered only a few that are useful as plant pathogen inhibitors. Streptomycin is the most effective of these in controlling vegetable diseases.

On the market are four commercial formulations of streptomycin.* Originally thought to be solely antibac-

terial in their action, they have recently been found to be effective against a few fungus diseases in the downy mildew group.

downy mildew group.

Among the bacterial diseases of vegetables controlled by streptomycin compounds are bacterial spot of tomato and pepper, halo blight of bean, seed-piece decay and black leg of potato, angular leaf spot of cucumber, and bacterial blight of celery.

The fungus diseases that have been controlled are downy mildew of lima bean and cucumber and late blight of tomato.

Recent research evaluation of six new antibiotics for control of fungus diseases of beans and lima beans has shown them all to be promising and thus worth more intensive study.

Greenhouse experiments at the USDA Plant Industry Station, Beltsville, Md., have shown that each of the six — Anisomycin, Mycostatin, Oligomycin, Griseofulvin, Filipin, and F-17—used as sprays, protected snap and lima beans from one or more of the six fungus diseases against which they were tested. They are not being used commercially yet.

Griseofulvin is produced by a species of Penicillium related to the organism from which penicillin is obtained. The other five antibiotics, including the culture filtrate F-17, are produced by species of Streptomyces, the genus of mold that produces streptomycin.

Oligomycin, isolated by University of Wisconsin scientists, was the most effective. It protected beans from rust, anthracnose, and angular leaf spot, and lima beans from downy mildew and stem anthracnose when used at 100 ppm. This concentration is equivalent to about $1\frac{1}{3}$ ounces of the active antibiotic dissolved in 100 gallons of water.

In laboratory tests at the Wisconsin Agricultural Experiment Station, 19 plant disease-producing organisms proved sensitive to Oligomycin. In greenhouse tests there, this antibiotic was added to soil in which alfalfa seed was planted and later was applied to the seedlings in water. The antibiotic gave complete protection against Pythium, a fungus which causes damping-off of seedlings. This genus, the cause of damping-off of many kinds of vegetable seedlings, is considered one of the most destructive group of plant pathogens, and Pythium-induced damping-off is generally not controlled by the best methods known today.

The discoverers of Griseofulvin found that a large number of fungi (Continued on page 31)

in

um

and


leaf

ng-


ore

see.

^{*}Agri-myein 100, manufactured by Chas. Pfizer & Co., Inc., 630 Flushing Ave., Brooklyn 6, N.Y.; Agristrep, by Merck & Co., Rahway, N.J.; Phytomyen, by E. R. Squibb & Sons Div., Olin Mathieson Chemical Corp., 745 Fifth Ave., New York 22, N.Y., and Acco Streptomyein, by American Cyanamid Co., Agric. Chemicals Div., 30 Rockefeller Plaza, New York 20, N.Y.



Females of golden nematode of potato; white ones are young, dark ones are older and are changing into cysts containing eggs and larvoe; these cysts live for many years in soil.



Example of how nematodes live inside a rest, eventually causing decay and death. This type of nematode cannot be seen with the naked eye.

How • When • Where NEMATODES ATTACK

How can you tell if nematodes are damaging your crops? Here are some ways to recognize their presence in your soil

By G. STEINER

U. S. Department of Agriculture

NOW that growers are becoming more aware of the fact that nematodes or eelworms may cause unthriftiness, decline, and not infrequently failure of their crops, the question is often raised as to how they may recognize the presence and kinds of these pests in their plantings. Unfortunately, this is not an easy or simple matter.

First, nematodes that attack plants are so small that with few exceptions they cannot be seen with the naked eye. Moreover, they are of complex structure and therefore difficult to distinguish. In addition, hundreds of different kinds are found wherever plants grow. Certain ones are harmless or of little significance for the final crop yield, while others are serious pests that significantly reduce production. Finally, most of the noxious forms do not produce specific, readily recognizable and reliable symptoms on the attacked plants.

It is not easy even for specialists and other informed persons to establish the presence and kinds of nematode pests in plantings without recourse to a microscope and other special tools and working methods. The following directions, therefore, must not be understood as means to establish presence and kinds of nematode pests with finality, but rather to guide the grower in assembling the necessary evidence to submit the problem to his experiment station or any other informed agency or person.

The first step for the grower will be to examine his plantings (seedbeds, garden plots, fields) for areas of decline, unthriftiness, lack of vigor, or lack of proper response to fertilizers; for areas of thin stands, of stunting and dwarfing; for areas where germination of seeds is unsatisfactory; where there is a tend-



Symptoms produced on white potato by bulb or stem nematodes: tubers show sunken portions; skin, often cracked, has dark grayish discoloations; tissues are changed into powdery mass.



Root-knot nematodes caused swellings on beet

ency to wilt (particularly over any hot period of the day); where the lower leaves of individual plants tend to become discolored, dry up and drop prematurely; where a pale, dull green contrasts the deep luxuriant color of healthy plants, or where there is outright chlorosis; or, in general, where growth and yield in spite of proper care are unsatisfactory for some unknown reason.



live inside a root, d death. This type with the naked eye.



Florida celery planting attacked by sting nematodes. Note areas of thin stands, stunted plants.

The aforementioned are field symptoms that may indicate the presence of noxious nematodes in such numbers that damage becomes noticeable. Any grower knows, however, that these very same symptoms may also result from factors and agents other than nematodes, such as lack of certain minerals (trace elements), improper soil pH, unfavorable soil structure, too much or too little moisture, abnormal temperature, other disease agents (fungi, bacteria, viruses),

or other pests (insects, mites, mille-pedes).

The grower must therefore make a careful analysis and evaluation of these various factors and agents that may be involved in causing the decline conditions he is confronted with. He should particularly review the performance of the trouble areas over the past years.

Nematode-induced damage tends to show up at the same location year after year, usually spreading as time one. They often spread as a circle, from a center that represents the original infestation, or along rows in the direction that a field is worked or that the water flows.

It should be apparent that from field symptoms one can establish only the *probable* presence of nematode pests. For more positive evidence one must proceed to an examination of individual declining plants. Where



Carrot with bearded roots and knots caused principally by root-knot nematode infestation.

must one look for nematodes on such a plant? The entire plant must be examined! In the case of vegetables, those nematodes that are found on roots and other underground parts are known to cause the greatest and most serious damage; it should not be forgotten, however, that certain types of these pests also invade crowns, shoots, petioles, leaves, flowers, and even seeds.

Onions and garlic in some areas of the United States suffer damage from the group known as bulb or stem nematodes. They produce rather specific symptoms, such as twisting, crinkling, and abnormal curving of stems, petioles and leaves, often combined with irregular thickenings or blister-like swellings of spongy texture; frequently the young shoots are swollen, stunted and bunched, petioles shortened, and leaves dwarfed.

Bulb or stem nematodes are also pests of root crops. By invading the tissues of tubers and other underground parts of potatoes, sweetpotatoes, carrots, turnips, rutabagas, rhubarb, etc., they induce the formation of lesions that later crack and

(Continued on page 32)



Corn root showing signs of heavy atack by various nematode pests.

MAY, 1957

Two celery plants of same eye: one at left has roots stunted by sting nematodes; one at right was grown in sail free of nematodes.

progresses. This will be particularly evident if the same crop is planted every year or in close succession. Furthermore, nematode infestations generally do not appear suddenly or with marked virulence; they most frequently develop slowly but steadily, and are stable in their reappearance year after year. Commonly they do not fluctuate in being very virulent one year and then disappear the next

neral, where se of proper or some un-

ly over any

l plants tend

up and drop

e, dull green

ant color of

there is out-

where the



Sta Insect- and disease-free potato foliage—obtainable today with the new posticides.

20 Years of POTATO SPRAYING

Here are up-to-date recommendations for potato insect and disease control based on over 20 years' experience

By J. D. WILSON and J. P. SLEESMAN

EXPERIMENTS on the control of potato diseases and insects have been carried on every summer in Ohio from 1924 until the present, a total of 33 years. The authors began their work about 1935. It has been during these last two decades that a mild revolution in pesticide development has taken place.

Significant changes occurred when the dithiocarbamates entered the field about 1940. In the first experiment in which the dithiocarbamate, ferbam, was used, it gave the top yield of potatoes, but it never did so well again. Ferbam was soon followed by zinc dimethyl dithiocarbamate, which now has the common name of ziram (trade name, Zerlate). It has given excellent results on potatoes (and even more so on tomatoes) whenever late blight did not appear in the field being sprayed.

Within a year or two it was replaced by another organic fungicide (zinc ethylene bis dithiocarbamate) which now bears the common name of zineb. This third dithiocarbamate is best known by the trade names of Parzate and Dithane Z-78.

The parent chemical of this compound was first used experimentally in the form of sodium dimethyl dithiocarbamate, which has the common name of nabam. It did not give consistently outstanding results on potatoes, and a research worker, in attempting to improve its performance, added zinc sulfate. This formed the zinc compound mentioned above and led to the commercial production of the wettable powder formulations known as Dithane Z-78 and Parzate.

In the interest of economy, many growers prefer to buy nabam (Dithane D-14 and/or liquid Parzate) and zinc sulfate and then, after dissolving the latter in water, add it to the nabam in the spray tank to form zineb. In a series of 25 field experiments in Ohio the average increase in yield over the untreated checks has been identical for the two types of formulation, and the control of defoliation by early and late blights has been as nearly equal as two such comparisons could be. Consistently good performance has established zineb as an outstanding favorite, with the result that today it is used to spray at least 80% of Ohio's commercial acreage.

In 1946 another variation of this group of fungicides manganese ethylene bis dithiocarbamate), later to be known as maneb (Manzate and Dithane M-22), entered the field. Ten years of testing demonstrated that, whereas this compound is an excellent fungicide, it has failed by an average of 5 bushels per acre to do as well as zineb. It should be noted that the reverse is true on tomatoes, where the ability of maneb to control anthracnose fruit rot has made it a definite favorite.

rov

out

que

the

air

pio

int

gro

con

pro

nee

equ

to

CTC

of

ve

dra

of

che

dra

po

MA

Captan has more recently challenged zineb as a potato fungicide, but because of somewhat higher cost and failure to consistently match zineb in performance, it has been used so far to treat only a comparatively small percentage of the Ohio potato acreage.

In 1944 we became concerned with the introduction of DDT and its rapid rise as an outstanding insecticide, particularly for use on potatoes. The widespread use of DDT has been responsible for the greatest increase in potato production. It gives virtually 100% control of leaf-hoppers, an insect that had previously been very difficult to control. Just how important leafhoppers are is demonstrated by the fact that getting rid of the last 10% of the population, which copper compounds such as Bordeaux mixture and the

(Continued on page 30)

AMERICAN VEGETABLE GROWER

by the trade Dithane Z-78. I of this comexperimentally imm dimethyl in has the comfit did not give ing results on ch worker, in a its performsulfate. This impound menoty in the commerwettable powers as Dithane

conomy, many nabam (Dith-Parzate) and after dissolv-, add it to the tank to form 5 field experierage increase reated checks the two types he control of d late blights equal as two uld be. Connance has esoutstanding ilt that today least 80% of

reage.
iation of this
anganese ethiate), later to
Manzate and
ed the field.
demonstrated
inpound is an
has failed by
ser acre to
It should be
is true on toity of maneb
fruit rot has
rite.

ecently chalto fungicide, at higher cost tently match it has been y a comparaof the Ohio

ncerned with DT and its nding insectiuse on potause of DDT r the greatest roduction. It ntrol of leafhad previouscontrol. Just ppers are is act that getof the popcompounds ture and the ige 30)

TABLE GROWER



A modern row crop gir sprayer in operation.

ROW CROP AIR SPRAYING

Air sprayers will soon be as standard in vegetable fields as they now are in fruit orchards

By PAUL F. YOUNG
John Bean Division

DURING the relatively short time that it has been in general use, row crop air spraying has been an outstanding success. In answer to the question asked many times during the past several seasons, row crop air spraying is here to stay.

Research and development of the pioneer air sprayer for orchards, introduced to commercial fruit growers in 1941, has done much to speed the acceptance of row crop air sprayers. In other words, the commercial vegetable grower has profited by the problems—or perhaps it would be better to say the solutions to the problems—that engineers of orchard and shade tree air equipment had to solve.

Before discussing the many advantages of air spraying, it is well to define it. In connection with row crop spraying, it is the application of spray material to such crops as vegetables with an air-type, tractor-drawn sprayer. It employs a stream of air as the means of carrying liquid chemicals to the plant as compared to conventional boom-equipped hydraulic sprayers which utilize the power of liquid pressure to project


the chemicals into areas where they are desired.

In the air-type spraying, a large volume of air at a medium velocity carries the spray-laden air to the plant in the form of a fine spray or mist. Perhaps one of the biggest advantages that air spraying offers over the old hydraulic method is that

spray chemicals can be applied as either dilute spray material, as with a boom, or as so-called reduced gallonage or concentrate spraying.

Concentrate spraying, which is being used more and more now with the advent of air spraying, is simply using the same amount of chemical per acre but with only a fraction of the water used in a dilute spray formula. The degree of concentration is usually 2, 3, or 4 times


(Continued on page 34)



scharge head of the air sprayer allows the grower to take advantage o . On the trip through the field with the wind, the head is rotated and t discharge is directly into the wind. On trip in the opposite directly

MAY, 1957

STATE



NEWS

- Western New York Growers Warming Up to Cooled Lettuce
- Florida's Vine-Ripened Tomatoes Interest Growers in Other Areas

Jet-Cooling Lettuce

NEW YORK-A group of western New York lettuce growers gathered recently at the Genesee Valley Regional Market to hear the story of vacuum cooling of lettuce from the men who are building the machine to do the job, C. A. Ferguson and James Condon of Eastern HiVac Coolers Co.

Experiments with a portable vacuum jet cooler last summer on the Kelly and Santore muck lands at Oswego showed that lettuce with field temperatures of 70 to 100° could be cooled to 34.7° in 31 minutes with chilling from the center outward. When packed in boxes that are moisture resistant the lettuce retains all its quality.

The portable machine processed 70,000 cases of lettuce in 22 days and the finished

ploy a research specialist to seek better production methods and thus keep Michigan in the lead among celery producing states.—Howard Trapp, Sec'y, Beulah.

Festive Tomatoes

GEORGIA—A tomato festival is being planned in Tifton for June 12-15, when the tomato season is in full swing. Complete with street dance, parade, beauty contest,

See page 27 for State News Special Report

and of course tomato judging contest, the affair is to emphasize Tift County's importance as a tomato growing area and marketing center. Smartly packaged tomatoes will be given to guests and tourists and mailed to prominent people all over the nation. Each box will tell the history of the tomato industry in the area and describe the theme of the festival.

Vine-Ripened Tomatoes

Moultrie county marketing agent Rice Campbell, after returning from a tour of vine-ripened tomato operations in Florida, a plan will be set up this year in Moultrie.

Some 40 growers are needed to plant from one to two acres of staked tomatoes in order to establish a vine-ripened operation. About a dozen interested growers also made the tour.—Mrs. Pauline T. Stephens.

Contract Troubles

CALIFORNIA—The California canning contract negotiations between growers and processors is near a deadlock and is causing apprehension concerning the future of the 1957 crop.

Buyers report that canners have bought practically all the tomatoes they need for (Continued on page 26)

THIRD GRAND TOUR OF EUROPE

THIRD GRAND TOUR OF EUROPE

The Vegetable Growers Association of America is sponsoring its third annual tour of Europe under the direction of Walter Pretzer, proprietor of Rueteelk Gardens, Cleveland, Ohio, and a past president of the VGAA.

The tour will leave New York on August 16 and arrive back in the U. S. on September 30.

The titnerary includes visits to England, Holiand, Germany, Austria, Switzerland, Italy, and France. The group will travel by private de luxe bus while visiting select farms, principal wholesale markets, and such institutes of experimental research as the world resounced John Ines Horticultural institution and the Rothamsted Experimental Station in England.

For those interested in horticultural activities this tour promises to be a perfect combination of business and pleasure, An added incentive for those in the trade: Total expense of the trip is deductible from your income tax.

Further information may be secured from Walter Pretzer, Vegetable Growers Association of America Tour, 1903 E. Ninth St., Cleveland 14, Ohio.

product may be stored up to 10 days without deteriorating effect, according to Fer-

guson. The cooling principle is triggered as steam is sent into the retorts through a complex array of jets, removing just about all the air and using the moisture on the lettuce to bring down the temperature. About 35 gallons of water are used each minute the machine is in operation through evaporation as the main stream is cooled for re-entry to the machine.—G. E. Toles.

Seal of Quality

INDIANA—The 1957 legislature ended their session with the passing of an "Indi-ana Seal of Quality" standardization law that will enable producers of agricultural products to attach a statewide seal of quality to produce that meets the required standards. Administration of the act is under the supervision of the director of the agricultural experiment station.—F. C. Gaylord, Sec'y, Lafayette.

Celery Research

MICHIGAN—Research is the key word in Michigan's 1957 celery promotion pro-gram. Directors of the Michigan Celery Promotion Association have voted to em-



rketing agent Rice ing from a tour of perations in Florida, igh growers wish a arketing plan, such nis year in Moultrie. needed to plant from staked tomatoes in ne-ripened operation, ested growers also Pauline T. Stephens.

California canning etween growers and adlock and is causrning the future of

anners have bought atoes they need for page 26)

baby

early 60 beautiful eties we breed and 's largest Vineseed

ing by using our

FROM YOUR SUPPLIER

obinson & Sons MODESTO,



EGETABLE GROWER



IT'S TOO LATE FOR TOP P



Yellow areas between dark green veins, starting with lower, older leaves, are magnesium-deficiency signs in this tomato plant.



It's too late for profits—for this cauliflower plant, with its curling, blotchy, mottled and discolored leaves.



This magnesium-deficient cabbage plant probably will not produce a marketable head, because it's too late. "YLT" has gone too far.



Magnesium-starved bean leaves show characteristic yellowing, mottling and browning of older, lower leaves.

"YLT" (YELLOW LEAF TROUBLE) means reduced vegetable yields. When you see yellowing between the veins of the older leaves of your vegetable plants, it's a sign of magnesium deficiency. But when such an obvious symptom appears, it's too late for top profits.

Most vegetable soils lack enough magnesium, the element so basic in the growing of healthy, earlymaturing vegetables. That's why more and more successful growers apply recommended amounts of premium-type complete vegetable fertilizer containing SPM (Sul-Po-Mag®). Sul-Po-Mag is fast-acting, readily available, and water-soluble. It's the most effective source of available magnesium - and sulphate of potash - for your vegetables. Most fertilizer manufacturers make grades containing "SPM." See your fertilizer dealer.



Sul-Po-Mag

Look for this identifying Seal of Approval when you buy. It's your assurance of extra-value fertilizer.

SPM Premium-type fertilizers guarantee



potash division INTERNATIONAL MINERALS & CHEMICAL CORPORATION

20 NORTH WACKER DRIVE . CHICAGO, ILLINOIS



End-cost is real cost!

It's not the cost of the bag alone that determines the cost of the package. Because of less down-time, faster filling, quality film produces packages at the lowest end-cost. Particularly when the film is VISQUEEN 'Q' film—the remarkably clear polyethylene. Write for detailed information and names of converters serving your area.

How **VISQUEEN** film pays off better

Strength of VISQUEEN film eliminates breakage. There's no ink rub-off with VISQUEEN treated film. The uniformity of VISQUEEN film means excellent machinability. Stiffness and body of VISQUEEN film facilitate fabricating. The experience behind VISQUEEN film assures superior quality. The superior quality of VISQUEEN film cuts packaging cost.



film is all polyethylene, but not all

polyethylene is VISQUEEN. VISQUEEN film has the benefit of research and resources of the VISKING COMPANY

VISKING COMPANY

Division of Union Carbide and Carbon Corporation
Leading producers of polyethylene sheeting and tubing
P.O. BOX 1410 TERRE HAUTE, INDIANA
In Canada: VISKING LIMITED, Lindsay, Ontario





Aphid-infested cabbage (left) and uninfested cabbage. Systemics have given good control escabbage aphids in field trials, and demero is currently included in recommendations to anhid central an cale cross in several stress.

SYSTEMIC INSECTICIDES

They're becoming more important in control of vegetable insects

By F. L. McEWEN

New York Agricultural Experiment Station

SYSTEMIC insecticides have many desirable features for use in vegetable production. It is expected that further research and experimentation will make these materials more important in vegetable insect control.

During the past 10 years synthetic insecticides have provided the vegetable grower with cheap and effective insect control. However, inherent in the use of such materials as DDT and parathion are the repeated applications necessary to protect new growth on rapidly expanding plants and the high costs of labor and equipment for making such applications.

Fewer Applications

The concept of a systemic insecticide is most attractive to growers, because ideally such a material would require a minimum of applications and would be transported within the plant to new foliage as well as protecting that present when the treatment was originally applied. In addition, good spray coverage would not be so critical, and good insect control would be possible using less expensive equipment applying only a few gallors of liquid per acre.

lons of liquid per acre.

It had been known for many years that some plants growing in soil containing toxicants, notably selenium, take up sufficient of this material to render their foliage poisonous to insects and mites, but it was not until recent years that insecticide manufacturers produced materials showing promise for such use. A number of named insecticides currently in use or under experimentation throughout the United States are transported within the growing plant to a greater or lesser extent. The list of those

(Continued on page 18)

AMERICAN VEGETABLE GROWER



ing more ontrol of sects

EWEN

periment Station

ides have many s for use in It is expectarch and exake these mat in vegetable


years synthetic ided the vegep and effective er, inherent in ls as DDT and eated applicaect new growth plants and the equipment for ms.

ystemic insece to growers, material would of applications ted within the s well as prohen the treatplied. In addiage would not insect control less expensive ly a few gal-

or many years ng in soil conably selenium, nis material to isonous to inwas not until cticide manuerials showing A number of ently in use or throughout e transported nt to a greater list of those age 18)

TABLE GROWER








Follow the ORTHO program and be a happier grower with a healthier crop. Call the doctoryour ORTHO Fieldman! He's scientifically educated and ORTHO trained. He can diagnose your trouble. And he can correct it by prescrib-

ing from the number one line of agricultural chemicals in America today. It's true: ORTHO has more than 400 agricultural formulations unmatched by anyone, anywhere in this world. So, call your ORTHO Fieldman to get all this background, laboratory and field research, manufacturing skills and exacting quality controls. It's "just what the doctor ordered" to give you bigger yields of better quality. Call your ORTHO Fieldman-for profits' sake!

An ORTHO program always pays more than it costs!




Your nearest Calspray sales office has a special vegetable pest and disease control program "tailormade" for your crops.

This program is recommended by a qualified ORTHO Fieldman, experienced in the problems of your area.

T. M. REG. U.S. PAT. OFF.: ORTHO



California Spray-Chemical Corp., • Executive Offices: Richmond, Calif.; Washington, D. C. • District Offices: Haddonfield, N. J.; Medina, N. Y.; Columbia, S. C.; Orlando, Fla.; Shreveport, La.; Maryland Heights, Mo.; Memphis, Fann.; Maumee, Ohio; Portland, Ore.; Sacramento, Fresno, San Jose, Whittier, Calif.; Phoenix, Ariz.; Caldwell, Ida.; Springfield, Mass. On all chemicals, read directions and cautions before use.



Generalift[®] pallet boxes are designed to save labor, time and money . . . help improve quality in the bulk handling of agricultural products. They're built to withstand the rigors of exposure, rough use, heavy loads and high stacking in storage.

They are widely used to harvest, handle, store and ship bulk loads of literally every fruit and vegetable with impressive records of service and savings. Initial investments are quickly recovered through pallet box economies.

Available in several standard types and sizes to fit every agricultural need.



LONG-LIFE, LOW-MAINTENANCE PICKING BOXES

Rugged wirebound construction and tough resawn hardwoods combine to make the sturdiest picking boxes available. Cut maintenance costs, get more service from your picking boxes. Available in I bushel and 1¼ bushel sizes. Stack securely, nest in storage.

General Box

Send for your copy of the Generalift Agricultural Catalog Today.

GENERAL BOX COMPANY

1855 Miner Street Des Plaines, Illinois

SYSTEMICS

(Continued from page 16)

systemically transported in insecticidally effective quantity, however, contains only four— schradan, demeton, phosdrin, and thimet.*

Schradan and demeton have been available for several years, and their effectiveness for aphid, mite, and leaf-hopper control on various vegetable crops is well established. Demeton is currently included in recommendations for aphid control on cole crops and control of sucking insects on potatoes in several states. However, when used at recommended dosage, neither demeton nor schradan is effective against insects other than sucking types.

Phosdrin is a comparative newcomer and is toxic to many chewing insects as well as the sucking species. Its toxicity to chewing insects is probably due to surface residue, since effectiveness against such species is rapidly lost, usually within 30 hours. Effectiveness against aphids, however, persists for several days due to translocation of the insect toxicant within the growing plant.

Like phosdrin, thimet is also of recent appearance and is not so selective as schradan and demeton in the insects it controls. With thimet, however, contact with a spray residue is





This roadside market, conveniently located so the motorist can readily stop, will make it easy for you to take care of customer quickly. Movable racks make it possible to mointain an attractive stand in accordance with supply and demand. Overhanging road affards protection for the customer.

Working drawings sent postpaid on receipt of \$1.50 AMERICAN VEGETABLE GROWER

not necessary for control of either chewing or sucking insects, and susceptible species of both types are killed by feeding on foliage of treated plants. This broader spectrum of insect control exhibited by phosdrin and thimet is most desirable, since many of our vegetable crops are simultaneously infested by both chewing and sucking insects.

The End.

Systemic insecticides are manufactured by the following companies: schradan, Dow Chemical Co., Monsanto Chemical Co.; demeton, Chemagro Corp.; phosdrin, Shell Chemical Co.; and thimet, American Cyanamid Co. IICS

n page 16)

ted in insectintity, however, schradan, demeimet.*

eton have been years, and their , mite, and leafrious vegetable ed. Demeton is n recommendaol on cole crops g insects on poites. However, mended dosage, r schradan is ects other than

nparative newmany chewing sucking species. insects is probresidue, since such species is vithin 30 hours. aphids, howral days due to insect toxicant lant.

met is also of is not so selecdemeton in the th thimet, howpray residue is

dside Stand

LE GROWER

ntrol of either sects, and susoth types are liage of treated spectrum of iny phosdrin and ble, since many are simultaneh chewing and THE END.

SETABLE GROWER



All insecticides should be handled safely ... malathion makes it easy

Ever wear a respirator on a hot July afternoon? It's a "must" when loading or applying most phosphate insecticides but not malathion. Here's why it's "one of the safest insecticides to handle" (USDA)

Though malathion kills 82 insects on 47 crops, it is low in toxicity to man and animals. To handle it safely, follow the same simple precautions required for DDT. Respirators, special protective clothing are not required.

Avoid residue problems - Malathion's low toxicity to man has given it a high residue tolerance. Residues also disappear rapidly.

That's why you can spray most crops as close as 72 hours from harvest without residue problems. It's the ideal way to control buildups of aphids and other pests close to harvest.

FREE Grower's Guide-Write American Cyanamid Company, Nitrogen and Allied Products Div., Dept. V2, 30 Rockefeller Plaza, New York 20, New York.











Malathion stops them all ... plus 77 other insects attacking 47 crops!

MALATHION insecticides have many uses on every kind of farm

CYANAMID



The 1957 Hydrocooling Unit ...Proved and Improved over 15 years!

Today, hydrocooling is the recognized method of increasing the saleable life of fruits and produce from grower to market. In this field of hydrocooling, the FMC Stericooler stands as the undisputed leader. An FMC Stericooler installed in your plant is on the job constantly to retard decay — cut trimming losses — protect produce from transit decay — deliver produce garden fresh and fruits tree ripened. Get the new 1957 FMC Stericooler hydrocooler! Compact metal construction...increased cooling capacity...new low price... and available in 5 capacities!



GREENHOUSE CROPS

Ohio Holds Its First

GREENHOUSE CONFERENCE

Growers get latest information on growing, marketing methods

By ELDON S. BANTA

GREENHOUSE vegetable growers who attended a two-day conference at the Ohio Experiment Station recently got the latest information on growing and marketing their specialized crop.

The first conference of its kind in Ohio attracted 76 growers from Ohio, Indiana, Michigan, Wisconsin, Oklahoma, and Virginia. Combined with lectures and discussions were laboratory sessions; for example, growers made mounts of disease organisms and nematodes and examined them under microscopes to gain a better understanding of these troublemakers.

Among the practical information carried home by growers were the following points:

1) All plants are not equally efficient in obtaining nutrients from the soil. Greenhouse tomatoes respond differently, too. By using foliage and soil analyses and by knowing the nature of the plant's feeding ability, it is now possible to fertilize tomatoes accurately.

2) Tomato plants grown under temperatures of 50° to 55° F. for two or three weeks after the first two leaves have expanded and then held at normal temperatures for the remainder of the plant-growing period are being checked for increased number of buds per cluster and increased set of early fruit. If this occurs, it will be one way of raising profits, since it would boost yields without increasing costs.

How to Improve Flavor

3) The grower can control, to some degree, the flavor of tomato fruits. Flat flavor results from fruits having low acid and low sugar content when light is poor, as generally occurs from December to April. When light condition is poor, less water and nitrogen and lower night temperatures should be the rule.

4) Greenhouse growers need a more suitable market container than the 8-pound basket. Customers in the retail store ruin too many tomatoes; a consumer package unit may be better.

5) A more uniform pack of greenhouse tomatoes is needed, especially as to color and maturity. It is much easier to hold a basket of uniform tomatoes than one with various degrees of maturity.

it

Competition From 'Vine-Ripes'

6) Vine-ripened tomatoes from the South are becoming increasingly competitive to northern greenhouse-grown tomatoes. Changes in harvesting and handling are essential if growers are to meet this competition. Among suggested procedures: a) Harvest tomatoes at pink-green stage; b) harvest more frequently (every day is suggested); c) put fruits into storage at 45° F. immediately after picking; d) store fruits at a temperature as near 50° F. as possible for best quality; e) if color needs improvement, hold tomatoes at 68° F. or above, with humidity around 85%.

7) Light affects the vitamin A and C content of tomatoes as well as their flavor; the lower the light intensity, the lower the vitamin content.

8) Cool night temperatures in the greenhouse during harvest periods makes for firmer tomatoes that hold up better on the market. A temperature of 55° F. is good.

9) Under conditions of low light intensity and high potash content, tomato plants produce fruits that will be soft and will not hold up in the market.

 Cracking and blossom-end rot can be prevented by maintaining an even water supply to tomato plants; avoid overwatering.

11) Steam sterilization destroys most parasitic nematodes, but chemical fumigation appears to be more practical for the future. Some good soil fumigants now in use are DD, ethylene dibromide, Vapam, and chloropicrin.

Plastic Greenhouses

12) Two projects to improve the plastic greenhouse involve the use of bonding materials to secure the plastic to the frame in place of nails and wood strips, and the use of sliding plastic roof panels which can be removed and stored during the summer. Sunlight is the biggest destroyer of plastics.

Two promising bonding adhesives are 76-4004 National Adhesive Corp., 270 Madison Ave., New York, N.Y., which works well on polyethylene, and P-578 Rubber & Asbestos Corp., 225 Belleville Ave., Bloomfield, N.J.

13) It is just as important to provide adequate ventilation in plastic as in glass greenhouses. Ventilation

many tomatoes; unit may be

pack of greeneded, especially ity. It is much ket of uniform ith various de-

'Vine-Ripes'

natoes from the g increasingly rn greenhouseanges in harare essential if his competition. rocedures: a) nk-green stage; quently (every put fruits into mediately after ts at a temperas possible for olor needs im-toes at 68° F. ty around 85%. vitamin A and es as well as er the light inritamin content. eratures in the arvest periods atoes that hold irket. A tem-

s good.

ns of low light octash content, fruits that will hold up in the

plossom-end rot maintaining an tomato plants;

ation destroys des, but chemirs to be more re. Some good use are DD, Vapam, and

to improve the olve the use of ecure the plasce of nails and use of sliding tich can be rering the sumggest destroyer

ding adhesives adhesive Corp., w York, N.Y., a polyethylene, asbestos Corp., loomfield, N.J. portant to protion in plastices. Ventilation

es. Ventilation

is important in growing good tomato crops free of diseases.

14) Ohio has in progress a breeding program to develop better varieties of Bibb lettuce. Several strains have been selected from commercial seed. They vary as to size and shape of head, leaf form, color, and flavor. Some show more resistance of Botrytis rot than do others.

Growing Bibb Lettuce

15) Best conditions for growing Bibb appear to be under night temperatures between 50° and 52° F. and



Bibb lettuce growing in Ohio Experiment Station greenhouse was photographed two weeks before karvest. Planting was spaced 7x7 inches, fertilized with 200 pounds of ammonium nitrate per acre, and grown under 52° F. night temperature.

day temperatures of 65° F. of below; preferably 62° F. on cloudy days. Plants produce top yields when spaced 7 x 7 inches and fertilized with 200 pounds of ammonium nitrate per acre.

THE END.

Builds Water Tank


LOUIS LECKLER, vegetable grower at La Salle, Mich., built this water supply tank for servicing his transplanter and sprayer in the field.

The 1000-gallon tank is balanced on a steel frame mounted between dual tires which make for easy maneuverability. Since the tank is balanced, it



is easy to attach the trailer to the tractor drawbar. The gasoline-driven pump has a two-way arrangement so that it can be used both for filling the tank and pumping out the water.— E. C. Wittmeyer.

MAY, 1957



ARAMITE

There's more money for you from better crops. A small per-acre investment in Aramite can make a big dollar difference. Year after year, field results nationwide prove the bigger and better yields you can expect with Aramite—the safest, best-known mite-killer today.

Aramite gives outstanding control of most mite species including Two-Spotted, Atlantic, and European Mites. Equally effective on melons, citrus, corn, tomatoes, apples, peaches, and ornamentals. It is compatible with most insect and fungus-killing chemicals, has longer residual activity and is non-hazardous to humans and animals.

For more than 19 fruit and vegetable non-fodder crops, including lima beans, the Miller Amendment (Public Law 518) has approved Aramite with a tolerance established of one part in a million.

United States Rubber

Naugatuck Chemical Division

Naugatuck, Connecticut

producers of seed protectants, fungicides, miticides, insecticides, growth retardants, herbicides: Spergon, Phygon, Aramite, Synklor, MH, Alanap, Duraset.

PICKLE GROWERS!

save up to \$150 per acre with

ALANAP





PRACTICALLY ELIMINATES HAND WEEDING

Extensive field usage proves that Naugatuck's new herbicide, Alanap[®], can save growers of cucumbers, melons and cantaloupes countless dollars by practically eliminating hand weeding.

dollars by practically eliminating hand weeding.

One comparison reveals that cucurbit yields were actually doubled by a pre-emergence application of Alanap. "Plants in untreated rows were severely stunted by weed competition before the fields could be cultivated and hoed, whereas treated rows were still not suffering ... two months after planting."

As a pre- or post-emergence weed killer, Alanap gives excellent control of a wide variety of weeds, is non-hazardous to humans and animals, easy to apply, low in cost, and safe on recommended crops including asparagus.

Order Alanap from your local supplier today. Write, wire or phone us if unable to locate immediate source of supply.



United States Rubber

Naugatuck Chemical Division

Naugatuck, Connecticut

producers of seed protectants, fungicides, miticides, insecticides, growth retardants, herbicides: Spergon, Phygon, Aramite, Synklor, MH, Alanap, Duraset.



Weed-free lime beens at right were given preemergence treatment with DNBP at rate of a pounds per acre; those on left were not treated

WEED CONTROL

Northern growers are cutting weeding costs with chemicals

By E. K. ALBAN
Ohio State University

M ANY northern vegetable growers are finding that proper use of herbicides can result in reduced costs of production of quality vegetables. While there are still many problems to be solved, much of the early confusion experienced with the introduction of herbicides for use in weeding vegetable crops has been eliminated.

In 1946 there were only one or two recommendations in regard to the use of chemicals for weeding vegetable crops. In the short space of 10 years we have moved from a one- or two-crop basis of chemical weed control to where we now find 24 important vegetable crops which can at least be partially weeded with chemicals.

Two major factors which are contributing to a slower acceptance of a chemical weed control program include: 1) a serious shortage of trained personnel who are familiar with both vegetable crop production and the correct use of herbicides with these crops; and 2) the lack of adequate spray equipment to carry out the specialized application of herbicides in vegetable crop plantings.

As far as the spray equipment problem is concerned, growers have done an excellent job in rebuilding standard equipment to do this specialized task. However, many small acreage vegetable growers have not been able to adapt their equipment to do a good job, and there is a real need for a good vegetable herbicide sprayer.

Promising New Materials

Of the new materials which should soon be available for commercial use, the following look particularly promising: Simasin (Geigy Chemical Co.). This material at a 1-, 2-, or 4-pound



ght were given pre-DNBP at rate of 6 oft were not treated.

ED ROL

are cutting th chemicals

LBAN

getable growers proper use of n reduced costs lity vegetables. many problems the early conth the introducuse in weeding een eliminated. only one or two egard to the use eding vegetable ace of 10 years a one- or twoal weed control d 24 important can at least be chemicals.

which are conacceptance of a ol program ins shortage of o are familiar rop production herbicides with he lack of adet to carry out ation of herbip plantings. ray equipment

growers have in rebuilding do this specialany small acrehave not been unipment to do is a real need able herbicide

erials

s which should ommercial use, ticularly prom-Chemical Co.). 2-, or 4-pound per acre rate has looked very promising as a pre-emergence treatment for sweet corn, lima beans, asparagus, and potatoes. As a post-emergence treatment on tomatoes and potatoes, this chemical during the 1956 season provided excellent control of most broadleaf and annual grass weeds with no damage noted to either crop. An experimental chemical, *Geigy 444*, has also provided excellent results with snap beans as well as the previously mentioned crops.

Diuron (DûPont Chemical Co.) has been used for several years; however, with the emulsifiable formulation it would appear that it could have increased use with asparagus and possibly sweet corn and potatoes.

sibly sweet corn and potatoes.

Neburon (DuPont Chemical Co.)
has provided excellent control of
chickweed and may well find considerable use in controlling this weed in
perennial vegetable crop plantings.
Neburon also looks promising in the
(Continued on page 24)

PARTIAL LIST OF CROPS AND WEED CONTROL CHEMICALS, WITH SUGGESTED PROCEDURES NORTHERN GROWERS MAY USE IN 1957*

		General Use						
Vegetable Crop	Chemicals	Before crop emergence	Affer crop emergence					
Asparagus	Karmex W or monuron	x	_					
	Crag Herbicide I or Sesone Alanap or NPA 2,4-D Cyanamid	X X X	Ξ					
Bean— Lima or Snap	Dinitro, DNBP, Sinox PE, or Dow Premerge Randox or CDAA	x X	=					
Beet	Stoddard Solvent Sodium TCA Sodium chloride	X	<u>-</u>					
Broccoll Cabbage Cauliflower	Sodium TCA	X	-					
Carrot Dill Parsnip Parsley	Stoddard Solvent	_	х					
Gelery— seedling stage	Stoddard Solvent	_	x					
Corn	2,4-D Dinitro, DNBP, Dow Premerge or Sinox PE	X X	x					
Lettuce Collards Kale	Chloro IPC	X	=					
Onion	Chloro IPC Stoddard Solvent Potassium cyanate	X X X	$\frac{x}{x}$					
Pea	Dinitro, DNBP, Sinox PE, or Dow Premerge	_	x					
Potato	Dinitro, DNBP, Sinox PE, or Dow Premerge Karmex DW or	x	_					
	diuron 2,4-D	X	=					
Spinach	Chloro IPC Stoddard Solvent	X	=					
Temate— direct seeded	Stoddard Solvent	X	-					
Pumpkin Squash Cucumber Muskmelon	Alanap or NPA	x	-					

*Growers should follow local recommendations and should exercise extreme care in following label instructions to avoid harmful residues on crops.

Make your own "oasis"

with USS NATIONAL* Polyethylene PIPE

Thanks to National Polyethylene Pipe, the installation of a low-cost irrigation system is now an easy, oneman job. You can have all the water you want, when and where you want it, at minimum cost, and you can install the system yourself.

National Polyethylene Pipe is flexible. It handles like hose—can be run around corners, over obstacles and under fences. You can cut it with a knife or hacksaw, insert the fittings and secure them with a simple clamp and screwdriver. It couldn't be easier. And tying into present systems is no problem... threaded adapters are available in a variety of sizes.

TOUGH—National Polyethylene Pipe is impervious to salt, alkali, acid and other chemical actions. It won't corrode or rot. Water freezing in the pipe will not burst it. Rough usage won't crack or break it. It will not stiffen...remains flexible in temperatures from -90°F. to +120°F.

PRACTICAL — National Polyethylene Pipe comes in lengths up to 400' and in diameters of from ½" to 6". Made of 100% virgin polyethylene plastic to which 2% of an inert black pigment filler has been added to prevent deterioration from ultraviolet rays. A 200' coil can be carried on the shoulder, weighs only 86 pounds. And the smooth inner surface of this pipe offers low flow resistance to pumping; inhibits chemical deposits.

Get complete details on the many uses of National Polyethylene Pipe by writing to: National Tube Division, United States Steel Corporation, 525 William Penn Place, Pittsburgh 30, Pa. Ask for Bulletin No. 29.

This seal of the National Sanitation Foundation is carried on all USS National Polyethylene Pipe, and means Tested... Approved... Sanitary!



NATIONAL TUBE DIVISION, UNITED STATES STEEL CORPORATION, PITTSBURGH, PA. COLUMBIA-GENEVA STEEL DIVISION, SAN FRANCISCO, PACIFIC COAST DISTRIBUTORS UNITED STATES STEEL EXPORT COMPANY, NEW YORK

NATIONAL **Polyethylene** PIPE




UNITED STATES STEEL

KILL QUACK GRASS



Quack grass is licked! Now MH not only reduces quack grass growth, but also eliminates this nuisance, in areas devoted to high-value crops. MH is so safe that seeds of vegetable and field crops can be planted on treated areas as soon as plowing and preparing the soil are completed. No soil toxicity.

> Order MH from your local supplier today. Write, wire or phone us if unable to locate immediate source of supply.



<u>producers</u> of seed protectants, fungicides, mitlcides, insecticides, growth retardants, herbicides: Spergon, Phygon, Aramite, Synklor, MH, Alanap, Duraset.

WEED CONTROL

(Continued from page 23)

post-emergence application to tomatoes and potatoes for control of annual grasses late in the season.

Amino triazole, which has been available for several years, looks as if it may have some value as a postemergence broadleaf and grass control treatment with sweet corn. This chemical is also invaluable for the control of Canada thistle and possibly quack grass in non-crop areas or as a spot treatment in a crop where it is more important to stop the spread of these weeds than to harvest the crop.

Preplanting treatments of quack grass with Dalapon, sodium TCA, and maleic hydrazide, offer excellent possibilities in control of this troublesome weed in some vegetable plant-

dle

Soil Fumigants

Soil fumigants and other soil treatments which have been very effective in general weed control when applied ahead of crop planting also appear to offer a new approach to the problem. While some of these chemicals have been available for several years, the increased interest in weed control has resulted in an expansion of effort with these soil treatments. THE END.

CALENDAR OF COMING MEETINGS AND EXHIBITS

June 13-15—Idaho Shippers Association summer convention, Sun Valley.—Edd Moore, Sec'y, P. O. Box 1100, Idaho Falls.

June 24-27—Second annual Mushroom Industry Short Course, College of Agriculture, Pennsyl-vania State University.—Director of Short Cours-es, University Park.

June 27-29—Annual Watermelon Festival, Cordele, Ga.—Sam Roobin, Gen. Chairman, Cor-dela.

July 25-Aug. 2—National Vegetable Week, sponsored by Vegetable Growers Association of America. Joseph S. Shelly, Sec'y, 528 Mills Bldg., Washington 6, D. C.

Aug. 13-14—Ohio Pesticide Institute annual summer meeting, Ohio Agricultural Experiment Station, Wooster.—J. D. Wilson, Sec'y, Wooster.

summer meeting, Onio Agricultural Experiment Station, Wooster.—J. D. Wilson, Sec'y, Wooster.

Aug. 16-Sept. 38—Vegetable Growers Association of America, third Grand Tour of Europe visiting England, Holland, Germany, Austria, Switzerland, Italy, and France. Tour conducted by Walter F. Pretzer, % American Express Company, 1425 Euclid Ave., Cleveland 15, Ohio. Aug. 17—Summer Field Day, Kansas State College Horticultural farm, Manhattan.—William E. Amstein, Sec'y, Manhattan.

Sept. 15-18—Produce Packaging Association 7th annual conference and expesition, Shoreham Hotel, Washington, D. C.

Oct. 2-3—Second International Potato Harvester demonstration, of individual machines which both lift and deliver potatoes into baga or a vehicle or container, Honnington Grange, Lilleshall, Newport, Shropshire, England.—Potato Marketing Board, 50 Hans Crescent, Knightsbridge, London, S.W. I, England.

Oct. 8-11.—Florida Fruit & Vegetable Assotion 14th annual convention, Hotel Fontaibleau, Miami Beach.—Florida Fruit & Vegeta Assoc., 4401 E. Colonial Drive, Orlando.

Assoc., 4401 E. Colonial Drive, Orlando.

Nov. 14-15—Western Growers Association 32nd annual convention, Hotel del Coronado, Coronado, Calif. Headquarters; 606 So. Hill St., Los Angeles 14, Calif.

Dec. 9-12—Vegetable Growers Association of America 49th annual convention, Jung Hotel, New Orleans, La.—Joseph S. Shelly, Sec'y, 823 Mills Bldg., Washington 6, D. C.

TROL

page 23)

tion to tomacontrol of an-

ich has been ears, looks as alue as a postnd grass coneet corn. This uable for the e and possibly areas or as a pop where it is the spread of evest the crop. Ints of quack sodium TCA, offer excellent f this trouble-

getable plant-

ther soil treatvery effective when applied also appear to the problem. hemicals have ral years, the ed control has ion of effort is. The End.

COMING EXHIBITS

Association sum-Edd Moore, Sec'y,

lushroom Industry iculture, Pennsylor of Short Cours-

rmelon Festival, n. Chairman, Cor-

Vegetable Week, ers Association of y, 528 Mills Bldg.,

y, 528 Mills Bldg Institute annus

Institute annual ltural Experiment n, Sec'y, Wooster. Growers Associa-Tour of Europe ermany, Austria, Tour conducted merican Express leveland 15, Ohio.

Manhattan.—Wi

ging Association esition, Shoreham

al Potato Harvestl machines which i into bags or a on Grange, Lille-England.—Potato rescent, Knightsnd.

Vegetable Associa-Hotel Fontaine-Fruit & Vegetable Orlando.

Association 32nd Coronado, Coro-So. Hill St., Los

rs Association of ion, Jung Hotel, Shelly, Sec'y, 528 C.

TABLE GROWER

Answering Your QUESTIONS

Don't let your questions go unanswered. Whether large or small, send them with a three-cent stamp for early reply to Questions Editor, AMERICAN VEGETABLE GROWER, Willoughby, Ohio.

MELON CULTURE BULLETIN

I would like information on the best methods to grow melons.—Illinois.

Write to the Bulletin Office, College of Agriculture, University of Illinois, Urbana, Ill., and ask for Cir. No. 675 entitled "Growing Melons in Illinois."

BUNCHING & TYING MACHINES

Where can I obtain a machine designed to bunch and the vegetables?—Virginia.

Try Felins Tying Machine Co., 3351 N. 35th St., Milwaukee, Wis.; National Bundle Tyer Co., Blissfield, Mich.; and Trescott Co., Fairport, N. Y.

WANTS SWEET CORN PICKER

is there an attachment which can be put on a corn picker which will pick roasting ears for the fresh market without bruising?—Wisconsin.

The Canning Machinery Div. of Food Machinery and Chemical Corp., at Hoopeston, Ill., have attempted to modify their corn picker so that bruising would not occur to corn destined for the fresh market. However, there is a certain amount of damage which will occur with any variety of corn picked, the extent depending upon the size of the ear, the variety, and weather conditions preceding harvest, and this bruising cannot be specified to certain set limits.

CROSS-POLLINATION OF CUCURBITS

Will cucurbits cross-pollinate to such an extent that the fruit of any would be affected the first year?—Illinois.

The cross-pollination of cucurbits that may occur during the first year will not show up until seed is planted and fruit matures the second year.

WHERE CAN I BUY SEED
Of Rutger x Pritchard F2 hybrid tomato?—
New York.

Try Agricultural Alumni Seed Improvement Association, R. 1, Lafayette, Ind.

Of Red Beauty potato?—Michigan.

From L. L. Olds Seed Co., Madison, Wis., in retail quantities; in carload lots from Starks Farms, Inc., Rt. 9, Rhinelander, Wis.

Of Peron tomato?—Texas.

From Glecklers Seedmen, Metamora, Ohio.

BAYOU PEARL AND WINTERGREEN


I'm interested in finding a shallot variety that will not "button" on top. Can you recommend one that will do well in my area?—Alabama.

Two recent shallot introductions by the Louisiana Experiment Station, named Bayou Pearl and Wintergreen, do not "button" on top and would be very desirable to try in Alabama.

TOMATO SET HORMONE
Will you please tell me where I can get
Duraset-20W for tomatoes.—New Jersey.

Duraset-20W is manufactured by the Naugatuck Chemical Div., U. S. Rubber, Naugatuck, Conn.

MAY, 1957



Field experience in air spraying proves that plant foliage MUST BE SPRAYED FROM BOTH SIDES TO INSURE BEST POS-SIBLE COVERAGE. Myers air sprayers deliver plenty of air volume and velocity to do this job. With Myers you can set up spray patterns for right- and left-hand spraying even where cross-wind conditions exist. Myers rigs produce a high-speed air stream (either one- or two-side delivery) that displaces the air in and around plants and deposits an even, effective cover from top leaf to ground level.

The combination of a Myers high-pressure pump and Myers ceramic-nozzle discs produces spray droplets of just the right size. There's no waste of valuable spray material due to oversize droplets falling out of the air stream. And the high-speed air stream is highly efficient because Myers double centrifugal fans discharge air straight out both sides.

See how other features of Myers Air Sprayers can help you produce greater high-profit yields. Call your Myers dealer today for details.



POWER SPRAYERS
WATER SYSTEMS AND
IRRIGATION PUMPS

THE F. E. MYERS & BRO. CO.
Ashland, Ohio · Kitchener, Ontario



Grow with BIRD

Better Plants **Bigger Profits**



Eliminate transplant shock by containing root growth to transplant stage with Bird Vita-Bands. Crops mature seven to ten days earlier. Choose from three types — variety of sizes.



Plant the entire pot - it disintegrates allowing complete root penetration. Ideal for annuals, vegetables, perennials. Choice of five sizes.



It's easier to sell twelve plants at a time with Gro-Tainer. Durable fibre is lightweight, inexpensive. Attractive green color blends with plant foliage.



Lightweight but tough! Four sizes accommodate all kinds of perennials, mums, bulbs, shrubs, roses.

Don't forget Bird Vita-M growing Pots and Bird Red Pots for shipping.

Bird & Son. inc. Dept. AVG
East Walpole, Mass.
Please send me free booklet on the complete Bird line.



Name.			 													
Street &	No	 				*									,*	

City & State.....

STATE NEWS

(Continued from page 14)

\$22.50 per ton-the same price as last year for the Pearson types. However, some early starters have rounded up acreage at \$20 a ton, creating an uncertain situation that has caused many processors to stop buying at the \$22.50 figure.

There is a heavy carryover of processed tomatoes from last year's record crop and many growers and processors, including the California Tomato Growers Association, have recommended a cutback in production this year to maintain the \$22.50 price.—

Neale Leslie.

50th Anniversary

OREGON-The Lane County Horticul-tural Society, oldest horticultural society in Oregon, recently observed its 50th anniversary. Kent Peterson, Junction City, was elected president; Edsel Chase, Cobern, vice-president; and R. E. Kerr, Eugene, secretary-treasurer.

Contracts for pea acreage between growers and the Birdseye cannery at Woodburn will call for 200 acres in the Canby bottoms instead of the 300 acres of recent years. Reasons given for the reduction in acreage are high cost of production, lack of local labor, and a large carryover of frozen peas.—Harold and Lillie Larsen.

Heart Disease and Vegetables

VIRGINIA—The part that vegetables play in maintaining a health balance in human beings and protecting man from various ailments was pointed up recently by Dr. Hunter McGuire Doles, prominent Norfolk physician.

His study of heart disease patients, Dr. Doles stated, has led him to conclude that eating fresh or canned vegetables in preference to frozen vegetables can prevent cor-onary heart disease.

According to Dr. Doles, the increase in

GREENHOUSE VEGETABLE DAY

The Ohio Experiment Station will hold its an-cal Greenhouse Vegetable Day on May 9 at

The Ohio Experiment Station will hold its annual Greenhouse Vegetable Day on May 9 at Wooster.
Directing the activities will be Dr. F. S. Howlett, chairman of the department of horticulture, and Dr. I. C. Hoffman, They plan to emphasize the following four important points:
1) Breeding of greenhouse tomatoes; 2) effect of cold treatment on the number of blossoms and yield of early tomatoes; 3) effect of different amounts of irrigation water on the occurrence of blotchy ripening of tomato fruits; and 4) breeding and culture of Bibb lettuce—a progress report on two years of work with Bibb.
Plant pathologist L. J. Alexander will emphasize the breeding of greenhouse tomatoes for mosaic resistance and the causes of blotchy ripening in tomato fruits. Entomologist Ralph 8. Neiswander will emphasize new methods of insect control in the greenhouse.

the use of frozen vegetables is directly related to the increase in coronary throm-bosis. He stated that freezing vegetables destroys vitamin K, the important factor in the manufacture of prothrombin—an element in the body that prevents coronary thrombosis. The heating of fresh vegetables and the canning process does not destroy

vitamin K, he stated.

Vegetables that are rich in vitamin K when canned or eaten fresh, according to Dr. Doles, are spinach, cauliflower, cabbage, tomatoes, lettuce, collards, string beans, and corn.

Potato Chart

NEW JERSEY-A new chart with the NEW JERSEY—A new chart with the latest recommendations for controlling insects and diseases in white potatoes has been prepared by Spencer Davis, Jr., and Leland Merrill, Jr., extension specialists in plant pathology and entomology, respectively. The recommendations are based on work done by John Campbell and Jack Reed, research specialists at the New Jersey Experiment Station

sey Experiment Station.

Copies are obtainable from county agricultural agents or from the Publication Department, College of Agriculture, Rutgers University, New Brunswick.

Know Your EGETABLE SEEDS

By VICTOR R. BOSWELL U.S. Department of Agriculture

ASPARAGUS

ASPARAGUS

ASPARAGUS is the most important perennial vegetable grown in this country.
Plantings remain productive from about a
dozen years up to 25 years and mere, the
life of the planting depending on many
factors. Seed is essential for producing
plants for new plantings. Vegetative propagation is possible but not practicable for
rowing the crop for food. Unfortunately,
dependable figures on amounts of asparagus
seed production are not readily available.

The asparagus fruit is a small, globular,

seed production are not readily available.

The asparagus fruit is a small, globular, three-loculed, red berry that contains up to six seeds. The berries are removed from the harvested mature famile plants by failing on canvas or by machine threshing. The fiesty berries are mashed, the pulp and seeds promptly separated by agitation and washing with water, and the seeds dried.

dried.

Asparagus seeds are dull to shiny black and very hard. Seeds that develop singly in locules of the fruits are smoothly rounded, mearly globular; those that develop as "twins" within single locules exhibit flattened areas where they were crowded together.

Because of their hardness the seeds are slow to germinate without special treatment. Soaking in water at about 90° F, for three to five days will hasten germinate tion appreciably. Unlike most vegetable seeds they will tolerate submergence in



standing water at room temperature, or cooler, for months without injury. If, however, air is bubbled through the water thereby increasing the oxygen supply, or if the seeds are removed to a moist medium with access to air they will sprout promptly. The seeds are generally planted without pre-socking

pre-socking.
Asparagus seed is relatively long-lived in good dry storage.

ABLE DAY

es is directly recoronary throm-ezing vegetables important factor nrombin-an eleevents coronary fresh vegetables loes not destroy

h in vitamin K sh, according to cauliflower, cab-collards, string

chart with the controlling inte potatoes has Davis, Jr., and ion specialists in mology, respec-ns are based on appell and Jack at the New Jer-

om county agrithe Publications griculture, Rutinswick.



ABLE GROWER

STATE NEWS Special Report

SNAP BEAN VARIETIES ON TRIAL IN RHODE ISLAND

RECENT research at the University of Rhode Island Agricultural Experiment Station indicates that Contender, one of the mosaic-resistant snap beans, is well adapted for early planting in southern New

England.

Field trials indicate that this variety is outstandingly early and outyields Stringless Black Valentine, a standard variety in this area, in both early and total yield. Controlled temperature tests show that Contender germinated in a cold soil as rapidly as Black Valentine. Date-of-planting field trials indicate that Contender will outproduce Stringless Black Valentine even when planted in a cold soil.

Contender, originated by the Southeastern Vegetable Breeding Laboratory at Charleston, S.C., and introduced in 1949, was one of the first mosaic-resistant varieties to be offered for sale. (Virtually all the major seedhouses carry variety.—Ed.)

major seedhouses carry variety.—Ed.)
Growers in southern New England have been reluctant to accept these new varieties primarily due to a lack of testing and the belief that Stringless Black Valentine, a standard variety in this area, is superior to others in ability to germinate in cold soils. Since growers in this area frequently accept the chance of a late frost in order to take advantage of a favorable early market, it is not unusual to find poor stands where germination was retarded by low

temperatures.

During the past three years, a number of recent introductions have been tested in comparison with standard adapted varieties usually grown in this area. The beans were planted about June 1 of each year, and germination was no problem with any variety under test, since the soil temperature was favorable for germination at that date. The beans were planted, grown, and harvested according to standard practices used in this area. used in this area.

Contender outproduced Stringless Black Valentine in both early and total yield over a three-year period, and this trend was

Variety	Early yield ¹ 1954	(Bush 1955	els per 1956	acre) Mean
Contender Stringless Black	187	181	103	157
Valentine Valentine	128	104	62	98
	Total yield ²	(Bush	els per	acre)
Contender Stringless Black	513	517	532	521
Valentine	495	328	359	394
Production totals	for first to	wo pic	kings.	

remarkably consistent throughout the test-ing period. Both varieties reached the productive stage on approximately the same date, but a heavier set in Contender resulted in heavier early yields which apparently continued throughout the productive cycle to give higher total yield also.

In other tests, we found nothing to indicate that Stringless Black Valentine was

cate that Stringless Black Valentine was superior to Contender in ability to germinate or produce bigger crops when planted in a cold soil. Contender apparently does have the ability to produce bumper crops of early snap beans and, in this respect, is well adapted to this area. The only qualification we make when recommending this rication we make when recommending this variety is to use other varieties for fall plantings, since a purple splashing frequently develops on the pods in fall during periods of cold nights.—W. L. Ogle.

Boost yields with 45% nitrogen apply Du Pont Nugreen®

—it's concentrated for efficiency



Top-dressed, side-dressed or plowed down, "NuGreen" feeds crops nitrogen as they need it for profitable, season-long growth. "NuGreen" aids decay of plant residues and cover crops, and it resists leaching.



Sprayed on foliage or dissolved in irrigation water, "NuGreen" feeds crops nitrogen through leaves and roots, giving them a growth boost almost instantly. "NuGreen" can be combined with pesticide sprays for even greater application economy.



Uniform distribution by air is easy with Du Pont "NuGreen" because it is concentrated 45% nitrogen in free-flowing shot form . . . gives you more coverage per flight. "NuGreen" won't corrode equipment and saves you labor because you handle less material per unit of nitrogen.

You profit with Du Pont "NuGreen" no matter how it's applied . . . your crops will be fed nitrogen for maximum growth and yields. "NuGreen" comes in 80-lb. bags-order Du Pont "NuGreen" from your supplier today.



it's concentrated 45% nitrogen

BETTER THINGS FOR BETTER LIVING . . . THROUGH CHEMISTRY

MAY. 1957



ATTENTION FRUIT AND VEGETABLE GROWERS HEAVY DUTY SPRAY TANKS WITH MECHANICAL AGITATION

At a price you would expect to pay for oil drums. For use with either hand guns or boom type sprayers. You can use a PAK-TANK or a PULL-TANK in your spray program . . .

No more settling out of spray material.

 No more wasted time in hook-up. Just back to the tank, drop in the pins and you are ready to go.

 May be purchased with or without pump and boom.

HEAVY GAUGE PAK-TANK . . . Ready to attach to any standard tractor . . . on or off in a jiffy . . . 100 gals.


HEAVY GAUGE PULL-TANK . . .

\$125.00 Complete.

REAR'S FARM SERVICE

also manufactures

- SLIP-TIPS . . . to convert your field boom to match any row spacing.
- HYDRAULIC STAKE PRESSES . . . for high speed staking of beans and tomatoes.
- Full line of trellis erection equipment.



REAR'S FARM SERVICE 755 River Avenue, Eugene, Oregon

PAK-TANK

When writing advertisers please mention AMERICAN VEGETABLE GROWER



FOR YOUR IRRIGATION Pumping Units

Insist on HALE

No. Acres

Guarantee Yourself . . . Assured Crops

Better Quality
Bigger Profits

Hale Pumping Units are sold through Distributors well qualified to engineer a system suited to YOUR

write today to Dept. AVG for detailed information. Prompt reply guaranteed.

Name _____

HALE FIRE PUMP CO.

INSURE YOUR FRUITS and VEGETABLES

With nationally known, most effective, State recommended Insecticides—Fungicides—Weed Killers. For Vegetables—Fruits—Small Fruits. Ask for special grower price list.

Dept. VGI

LETHERMANS
Canton 2, Ohio

25,000

DWARF APPLE TREES

Hardy, northern grown 1-year old trees. Grafted on Malling Stocks No. II, IV, VII and IX. Guaranteed free from insect pests or plant disease. Backed by more than 100 years of Leuthardt family experience in Dwarf Fruit Trees. Send for prices. State your needs, soil conditions and varieties desired, to eliminate any possible risk in choosing proper understock.

HENRY LEUTHARDT

Port Chester

New York

POTATOES

PROCESSED POTATOES

als

the

bo

fla

bo

an

er

no

po U

fo

re

in

ca

ha

ar

te

ar

T

ke

m

ca

is

ha

M

Consumption is rising and new products are developing rapidly

By H. J. EVANS

THE per capita consumption of processed potatoes is increasing. About one-sixth of the total United States potato crop is now processed. The chief product, of course, is potato chips, which last year utilized about 40 million bushels of potatoes.

From the chip industry's research program have come new candies, including potato chip bars. Crushed chips are pressed together in the form of candy bars which may be chocolate-covered. This potato chip bar is highly regarded by the armed services because, with its high concentration of calories, minerals, and other nutrients, it makes an ideal emergency ration.

There are other byproducts of the chip industry, such as potato chip candy, chiplets, and potato nuts. Chiplets and nuts are really snack items. Potato nuts are made by frying quickly in deep fat quarter-inch diced potatoes. The hot fat seals over the outside so that the nut tends to be hollow in the center. Similar to French fries in taste, they are especially delectable.

Frozen Products

Frozen French fried potatoes are second only to peas in the frozen food line. Also available in frozen form are diced potatoes, potato patties, whipped potatoes, potato puffs, and potato soup.

Frozen diced potatoes are ideal for hash-browning, because they cook very quickly. Patties and puffs are mixed with other ingredients such as flour, eggs, and seasoning and are partially cooked before being shaped and frozen. These products are rapidly gaining in popularity. Frozen cream of potato soup is also rapidly becoming a popular item.

The use of small potatoes packed in both consumer-sized and gallon cans is increasing. The latter size is used extensively by the restaurant trade because the potatoes are readily available for French frying and roasting.

Also canned are shoestring potatoes, which are a form of French fried potatoes. Hermetically sealed, they keep indefinitely and are always ready to serve on short notice.

Canned stews and hashes containing potatoes have long been on the market. One of the most popular

AMERICAN VEGETABLE GROWER

SSED OES

ng and new ping rapidly

ANG

onsumption of is increasing. e total United low processed. course, is poyear utilized ls of potatoes. stry's research w candies, inoars. Crushed er in the form y be chocolatenip bar is highed services bencentration of ther nutrients, ency ration. roducts of the

s potato chip ato nuts. Chipy snack items, y frying quickinch diced pos over the outls to be hollow o French fries ally delectable.

I potatoes are the frozen food a frozen form potato patties, ato puffs, and

s are ideal for se they cook and puffs are dients such as ning and are being shaped ducts are raparity. Frozen is also rapidly


toes packed in ad gallon canser size is used staurant trade e readily availand roasting. bestring potam of French trically sealed, and are always t notice.

shes containbeen on the most popular

TABLE GROWER

canned potato soups, Vichyssoise, is also sold in frozen form.

Potato flakes, the latest potato product, look especially promising for the future. The potatoes are cooked, dried, and packed in pasteboard boxes. They can be prepared in two minutes with the addition of hot water or milk and seasoning. The finished product is better than many



USDA EXPERT MAKES CHANGE

Dr. Henry A. Jones, for more than 20 years had of onion and potato breeding programs for the USDA, joined the Dessert Seed Company, El Centro, Calift. on March 1, 1957. He will head the company's plant breeding department. Dr. Jones is known throughout the seed industry for his work with onion and spinach hybrids.

restaurants habitually serve. The flakes always produce a nice white bowlful of mealy mashed potatoes, and are proving so popular that several of the large manufacturers are now establishing plants in various potato-producing areas. The process for potato flakes was developed at the USDA Eastern Utilization Research Laboratory at Philadelphia.

One of the presently developing forms of potatoes is the prepeeled potato, which is now being used by restaurants and other institutions. There are probably 30 plants which peel and cut potatoes into pieces for French frying or peel them for boiling in large distribution centers. Because of the labor saved, restaurants have found that prepeeled potatoes are a real economy.

Other potato products are starch and flour. Potato flour is used extensively, since it tends to keep bread and cake moist for a longer time. There are also granulated potatoes and dehydrated potatoes being marketed, and various other products of minor importance.

All in all, the processed potato business has a bright future, with per capita consumption and population both increasing. The potato industry is ready to meet any challenge in the way of increased demand and is searching for better varieties and handling methods.

The End.

NOW

Plastic Films Specially Formulated and Packaged for Horticultural Users

Larvacover. made of

MONSANTO ULTRON

for . . .

STEAMING SOIL — SOIL FUMIGATION — SHADING — SILO COVERS —
POND & IRRIGATION LINERS

Larvacover.
Polyethylene

for . . .

Soil Fumigation (wide widths to 20 ft.)

Greenhouse Construction

Mulching

(Strawberries and other fresh market crops)

Seed Bed Covers


Although there are any number of brands of both vinyl and polyethylene films on the market—you insist on LARVACOVERS for your own protection and best value. LARVACOVERS are fabricated only from specially formulated ULTRON vinyl, and from selected highest grade polyethylene films for your specific needs. As to choice of film, for an expert and unbiased recommendation—write us your problems.

Write . . .

Larvacide Products, Inc.

Ringwood, Illinois 1515 Third St., San Francisco 7, Calif.





Successful growers by thousands have shown that our baskets, boxes, and containers for retail and bulk marketing promote better profit for the vegetable producer.

Product of our complete PLANNED PACKAGING facilities, these marketing specialties are made of fine quality corrugated board, attractively printed in 2 colors. Sizes—2, 4, 8, 12, and 16 quarts. Wood or wire handles. Shipped flat for easy storage. Easy to set up. Write PRODUCE SALES, The Ohio Boxboard Co., Rittman, Ohio.

5 SIZES wood or wire handles



THE OHIO BOXBOARD CO.

PLANTS: Rittman, O. + Youngstown, O. + Cuyahoga Falls, O. Pittsburgh, Pa. + Fairbanks Containers, Inc., Middletown, O. Western Containers, Inc., Lockport, N. Y. + Champion Containers, Inc., Plymouth, Mich.

YOU ARE INVITED

Join a top group of Vegetable Growers for a once in a lifetime tour of Europe including:

- World renown John Innes Horticultural Institute-England
- Rothamsted Experimental Station-England

Two of the most famous stations in the world. These plus many other interesting places where special arrangements have been made through the Vegetable Growers Association the Vegetable Growers Association of America and by Walter Pretzer, past president of the Association, who is in charge of the tour. Leisurely visits to Holland, Germany, Austria, Switzerland, Italy and France are also included. Leave New York August 16 on the luvry liner. York August 16 on the luxury liner S. S. CARONIA and return to New York September 30th.

Fill out the attached coupon

Walter F. Pretzer, Organizer Vegetable Growers Association of America Tour 1903 East Ninth Street Cleveland 14, Ohio

I am interested in the Vegetable Grow-ers Association Tour of Europe. Please and full details immediately.

Name Address ... City....

Low Cost, All Purpose



Trailer-mounted for about the same price as tractor-mounted! For economical low-gallonage spraying. Aluminum or galvanized tanks are available, or use oil drum if you like,

Use alone





"POWER JET" (Boomless) SPRAYERS and Gas Engine Pump Units also available

For complete information and Century dealer nearest you, write Dept. 117-C

CENTURY

ENGINEERING CORP. Cedar Rapids, lowa



Does Both

The W-W Compost Grinder and Soil The W-W Compost Grinder and Soil Shredder sets the standard for all others because it does everything. Shreds compost material, grinds, screens fine enough for potting soil and top dressing, mixes compost with soil or other fertilizer. Rejects only unwanted trash. It's the only machine with interchangeable rollers (for shredding) and grinding screen as standard equipment. No wonder it's America's largest seller! est seller!

Deluxe model 2-XB, \$189.50 with 2½ h.p. gasoline engine (electric motor available). Special model A for small operations, \$129.95 either gasoline or electric, f.o.b. Wichita.

Terms usually arranged.

Write for literature and name of user near

W-W GRINDER CORP.

Dept. VG

Wichita 4, Kansas

Write

Prices

MIDWEST SEED GROWERS

- . The best salesmen we have are the regetable growers who are using our seed. We specialize in supplying the growers who are quality minded and want to purchase the best seed avail-
- This year several varieties of cabbage, carrot and onion seed are short. However, we are able to offer the following outstanding popular varie-

CABBAGE Highland Balthead

Danish Ballhead, Midwest stock 62 Globe, yellows-resistant Oakview Balthead

CARROT

Gold Pack Imperator Long Type

ONION Beltsville Bunching Lb. 7.00 White Lisbon Lb. 4.50 White Bunch Lb. 4.50

WRITE for our free market gardeners and florists price list.

MIDWEST SEED GROWERS

505 Walnut, Kansas City, Mo.

POTATO SPRAYING

(Continued from page 12)

fixed coppers had failed to control, increased the yield by 53%.

For a few years DDT gave good control of flea beetles, but they soon developed such a degree of resistance to DDT that it began to fail to give satisfactory control as early as 1950.

During the last 10 years a considerable number of organic insecticides have been developed and introduced by various chemical companies, and many of these have proved useful. None has given any better control of leafhoppers than has DDT, but some have been more dependable in the control of flea beetles. Dieldrin has been one of the best in controlling this insect, and it is now being used to supplement, but not replace, DDT.

Parathion is being used by some growers. This material gives good control of virtually all of the insects that attack potatoes in Ohio, including leafhoppers, flea beetles, aphids, and white flies, but it has not equalled dieldrin in the control of flea beetles. Systox, a systemic, is another insecticide that has done very well on potatoes, but gives little control of flea beetles.

Thus, after comparing most of the new fungicides and insecticides that have been introduced during the past 20 years, the present first choice of the authors in materials, and the per acre rate of application is:

Parzate or Dithane Z-78 at 3 pounds Dithane D-14 or liquid Porrate at 3 quarts plus
zinc sulfate at 1½ pounds
plus
DDT (50W) at 1 pound and Dieldrin (50W)
at ½ pound

Variations of these schedules may be used by substituting Bordeaux mixture, a fixed copper, maneb, or captan as the fungicidal ingredient, and parathion may be used as the insecticide, depending upon grower preference. THE END.

BUILD A POTATO STORAGE



Plans for a modern, low-cost potato star-age are now available to AMERICAN YEGETABLE GROWER readers. The above-ground 50-foot square storage is designed to hold 17,500 bushels. A list of materials is included with the plans. Send remittance of \$1.50 in form of check or money order to AMERICAN VEGETABLE GROWER, Wil-loughby, Ohio.

PRAYING

m page 12)

ailed to control,

by 53%. DDT gave good es, but they soon legree of resistit began to fail control as early

years a considganic insecticides ped and introhemical companese have proved riven any better opers than has e been more decontrol of flea been one of the his insect, and it to supplement, T.

g used by some erial gives good all of the insects in Ohio, includbeetles, aphids, out it has not the control of , a systemic, is that has done s, but gives little es.

ring most of the insecticides that d during the past nt first choice of terials, and the plication is:

E-78 at 3 pounds zate at 3 quarts plus 1½ pounds

and Dieldrin (50W)

se schedules may tuting Bordeaux pper, maneb, or icidal ingredient, be used as the ng upon grower THE END.

O STORAGE



ns. Send remittue. ick or money order BLE GROWER, Wil-

EGETABLE GROWER

GREATER YIELDS BIGGER PROFITS

THE EASY, ECONOMICAL WAY WITH CAMPBELL'S

GRO-GREEN

LIQUID FERTILIZERS AND NITROGEN NUTRIENTS

All over the country vegetable growers report bigger profits . . . healthier, hardier plants with GRO-GREEN liquid fertiers. Guaranteed to give greater results for the dollar invested than any other type application. You be the judge. GRO-GREEN can be applied with conventional sprayers or through irrigation equipment fungicides. Available in 1, 5, 30, and 55 gal. containers. Also furnished in conentrated crystal form in 1, 3, 25, and


NO MORE LIFTING TO HANDLE



Beans......3-10 bu. Potatoes....30-100 bbls. Tomatoes.....2-5 tons Peas......1-21/2 tons Above are records of actual increases in yields per acre on hundreds of farms all over the country. Comparable results reported on other vegetables. WRITE FOR PRICE LIST AND FREE SAMPLE FOR TESTING

H. D. CAMPBELL COMPANY

ARM PRODUCTS DIVISIO Rochelle 231, Illinois



THE NEW CHAMPION JUICER

Is The Sunshine To Better Health

Three in one, for the price of one. JUICES ALL: Leafy and root vegetables—Carrots, celery, spinach, endive, paraley, etc.

A VEGETABLE GRATER: In seconds you tan grate beets, turnips, carrots, coconuts, and nuts for tasty salads, spreads, etc.

AS A HOMOGENIZER: It is outstanding for nut butter sherbets from frozen fruits, purees, baby foods, homogenizes vegetables.

NO nuts, bolts or screws needed to assemble or disassemble, very easy to clean.

Price completely equipped with ½ H.P. G.E. special built motor, 60 cycle 115 V; 5 year service guarantee; instruction book with recipes including the three in one feature for only \$160. F.O.B. factory.

W. R. Laboratories, Dept. V. G. 439 E. Lockeford St., Ledi, Calif.

MAY, 1957

ANTIBIOTICS

(Continued from page 9)

growing on artificial media proved sensitive to it, and that it protected lettuce against gray mold and tomatoes against early blight. In tests at Beltsville, it effectively protected beans from powdery mildew and eradicated the fungus from previous ly infected plants. It also protected beans from rust.

Anisomycin was found to protect beans from rust and powdery mildew

NEW FORMULATION ON MARKET

NEW FORMULATION ON MARKET
Chas, Pfizer & Co., Inc., has announced
that it will begin marketing a new artibiotic
formulation this spring, Agri-mycin 500.
The new formulation combines Agri-mycin
(streptomycin-terramycin) with a substantially water-insoluble copper fungicide for
the first time in a single spray, giving growers a weapon with which to fight both fungus
and bacterial diseases simultaneously.
Tests have shown the new combination to
be more effective than either material used
separately. As a spray or dust, it has proven
effective for bacterial blight of celery, bacterial spot of formatoes and peppers, and
downy mildew of lima beans and cucurbits.

and lima beans from downy mildew. In addition, it eradicated infections by the two bean pathogens after the plants became infected.

Mycostatin, the only antifungal antibiotic in this group of six that is used for medicinal purposes, gave partial protection against infection of beans by rust and of lima beans by downy mildew.

Filipin was reported by University of Illinois scientists to protect spinach and cucumber seedlings against damping-off caused by Rhizoctonia. The Beltsville tests demonstrated protection of lima beans from downy mildew and partial protection from anthracnose infection, but a high concentration of the antibiotic was neces-

F-17, a crude culture filtrate containing three and possibly four antibiotics, proved effective against bean rust. It was produced at the USDA Northern Utilization Re-search Branch, at Peoria, Ill. This antibiotic mixture not only protected beans from infection but also eradicated the rust from beans up to four days after infection. This material, however, is a long way from practical use by growers.

Cost Limits Use

The present cost of antibiotics restricts their use to crops having high value per acre or to diseases that require only small quantities of the active materials for control. As the use of antibiotics broadens, mass production may reduce the price. Furthermore, less purified antibiotics selected specifically for plant disease control may prove effective as control THE END.

ANTIBIOTIC


FUNGICIDES

AGRICULTURE


The MURPHY CHEMICAL COMPANY wishes to bring to the attention of research workers the promising results that have been obtained with GRISEOFULVIN in controlling certain species of pathogenic fungi notably those belonging to the genera Botrytis and Mycosphaerella. To date GRISEOFULVIN has shown promise against Botrytis spp. on lettuces, strawberries, grapes and gladioli and against Mycosphaerella on melons. We invite the co-operation of Research workers interested in carrying out trials on these or related fungi.


EXPORT DEPARTMENT THE MURPHY CHEMICAL CO. LTD. WHEATHAMSTEAD, HERTS. ENGLAND.

CHECK The Complete Cultivator Built for You!



Simple Adjustment





Sets to ground contour

- Throws no dirt
- Aerates the ground
- Leaves no ridge
- Mulches ground deep
- Faster, cleaner cultivation
- Quick, easy row adjustment
- The multiple cultivator that does your job
- Write for particulars

KIRBRO COMPAI

131 Schley St.

Newark 12, N.J.

Waverly 3-4635

VEGETABLE PLANT HEADQUARTERS

BITE TODAY. FREE WHOLESALE LIST DR TOMATO—PEPPER—CABBAGE—ONION— WEET POTATO PLANTS. Best strains of lead-y varieties. State Inspected. Grown from Cer-

FARRIER PLANTS, B. B. BROWN, Box 666 Morris County, Omaha, Texas


WITH KUR-MOR (USING L-P OR BOTTLED GAS)

SENSATIONAL!! New Low Cost

Plastic Greenhouse Heating

BLUE GRASS BUTANE CO., Inc. 2417 Nicholasville Pike Lexington,

SAVE '7.20 **NORELCO**



NEMATODES

(Continued from page 11)

develop into rugosities, or they directly induce more or less extensive decay.

Since most types of plant nematodes particularly attack the roots, the grower looking for evidence of nematode damage on his crops must pay special attention to roots. To be successfully examined for the presence of nematodes, roots must be dug properly. By no means should a grower pull and tear plants that he wants to examine for nematodes. In roughly uprooting attacked plants he will tear off the root sections most important for his examination.

There is a group of nematodes, the root-knot nematodes, that induces the formation of galls, knots, or swellings on roots, corms, rhizomes, tubers, bulbs, etc. These galls are symptoms

"Growing Tomatoes in Plastic Greenhouses" by E. M. Emmert, Leaflet 169, is available from the College of Agriculture, University of Kentucky, Lexington. This fine reference material gives information on soil preparation and sterilization, fertilizing, transplanting, watering, mulching, heating, ventilating, pruning, insect and disease control, and other related subjects.

most easily recognizable as of nematode origin, and they are most widely known by growers. But even in this instance identification based on these symptoms alone will not always be correct.

The crown gall organisms produce very similar symptoms, and still other agents also cause gall formations on roots; also, certain plants have naturally swollen roots that resemble those attacked by root-knot nema-todes. Sometimes bacterial nodules which are beneficial are mistaken for signs of root-knot nematodes, or rootknot swellings are interpreted as beneficial bacterial nodules.

The grower may distinguish them as follows: root-knot galls are swellings of the root itself; bacterial nodules usually are attached to the side of a root, often with a short peduncle. On certain vegetables such as potato and sweetpotato tubers the grower may observe the females of root-knot nematodes with the naked eye or a magnifying glass as whitish spherical bodies in the tissue, the size of a pinhead, usually located near the surface.

Another group of nematodes, the cyst-forming ones, may also be recognized directly by the grower. Here too it is the female that grows to a spherical or lemon-shaped body, first of white, later of light to dark brown color. When attached to the roots or even when free in the soil, these females that contain eggs inside may be seen with the naked eye, or still DES

page 11)

es, or they diless extensive

of plant nemaack the roots. or evidence of his crops must o roots. To be for the presots must be dug eans should a plants that he nematodes. In acked plants he sections most mination.

nematodes, the that induces the ots, or swellings zomes, tubers, are symptoms

astic Greenhouses"
9, is available from
University of Ken-reference materile paration and sterile 19, watering, mulch-runing, insect and plated subjects.

le as of nemare most widely ut even in this based on these not always be

anisms produce , and still other formations on ints have natuthat resemble ot-knot nemacterial nodules e mistaken for atodes, or rootinterpreted as dules.

stinguish them galls are swellself; bacterial ttached to the with a short vegetables such tato tubers the the females of vith the naked lass as whitish tissue, the size located near

nematodes, the also be recoggrower. Here nat grows to a ped body, first to dark brown to the roots the soil, these ggs inside may d eye, or still







"ZON" SCARECROW

Vrite:
B. M. LAWRENCE CO.
244 California St.
SAN FRANCISCO 11

Certified Vegetable Plants

Certified Tomato, Pepper, Onion and Cabbage Plants. All leading varieties. We ship only in large quantities.

JOHN THORNHILL PLANT COMPANY Tifton, Georgia

ARE YOU A SEED SALESMAN?

Add to your income by selling AMERICAN VEGETABLE GROWER. Write today for our liberal nursery agents' plan. Address:

EDWARD MEISTER Circulation Manage

AMERICAN VEGETABLE GROWER

Willoughby, Ohio

For Profitable Crops

Sow

Seeds of Proven Merit



1/4 lb. 80c 1 lb. \$2,50 10 lbs. @ \$2.40 lb.

Buy

Also Surecrop and Burpee Hybrid
Cubit Producer Ohio MR17-25
Niagara Long Marketer

SWEET CORN



Golden Cross • lochief • Calumet Gold Rush • Security • Foremost YI

SEND TODAY-Complete Seed Catalog And Price List of Spray Materials

therman's

Dept. VG Canton 2, Ohio better, with a hand lens. Some of these cyst-forming nematode types are among the worst of nematode pests; for example, the golden nematode of potatoes, the pea cyst nematode, the sugar beet nematode. The grower should particularly be on the lookout for them.

But bulb or stem, cyst-forming and root-knot nematodes form only a fraction of the many kinds of nematodes liable to attack roots and other underground parts of crops. The other types are more difficult to see, and the symptoms they produce are less specific. There are kinds that enter a root and live inside it either sedentarily or migrating through the tissues; there are many others that feed from the surface, usually by forcing their head-end into the tissue of the attacked plant. With diligence they locate the tender tissues or tissues rich in food or suitable to their mode of living. They not only deprive the host of food material and prepare entrance openings for other disease agents, but they interfere with the life processes of the host plant, often to a most disturbing degree.

The activities of these pests may be visible in various types of mutila-tions of the roots; the whole root system may be reduced and sparse compared with one free of nematodes. Roots are short, often bunched. Root tips are black or otherwise discolored and blinded. Witches'-broom types of roots are formed, or roots are bearded and show formations that growers often call hunger roots, stubby roots, coarse roots. Lesions of smaller or larger size and pronounced discoloration are seen. Decay may be observed, particularly affecting the end portion of roots. The cortex of attacked roots usually sloughs off easily. Sometimes the ends of the roots are swollen.

Finally, there is still another method the grower may use to determine if his plantings suffer from attacks by nematodes. It is through a test application of a nematocidal soil fumigant in a trouble area.

To be successful the soil should be amenable to such a treatment; that is, it should not be too heavy or sticky, nor should it be too stony or too peaty. The treatment should be made under proper weather conditions (soil not too moist nor too dry, the temperature best between 60° and 80° F.). The soil should also be free of corms, tubers, rhizomes, roots, etc., inside of which nematodes may be protected from the fumigant.

For the test a crop should be selected that previously showed decline on this plot or field. Assuming a proper execution of the fumigation, increased growth and yield should demonstrate the control of an in-THE END. herent infestation.



... BIGGER YIELDS ... EARLIER HARVESTS

... BETTER QUALITY



ADDRESS

STATE W-72-5-57

IRRIGATION-

Easier, Faster, More Profitable

with a McDowell

COUPLING SYSTEM



EASIER . . . faster to set-up!



EASIER . . . faster to move!



EASIER . . . faster to store!

You save man-hours and money with MeDowell—the QUALITY irrigation couplings and fittings. Water pressure gives tight

Water pressure gives tight seal automatically. No tools needed. No hooks or latches to cause extra work, write upkeep, extra expense.

MAIL COUPON FOR FREE JOOKLET)
Name	-
Address	-
McDOWELL MANUFACTURING	co.

ONE-TIME PEAT POT

- Saves Labor
- Better Plants
- Greater Production
- Greater Profits

PAYS FOR

One-time peat pot made of the finest horticultural peat and fertilized to compensate for decomposition of pot.



Proven, tested by agricultural experiment stations and used by leading growers.

SIZES 2" to 4"

Write today to-

DAO CORPORATION

Terre Haute, Indiana

AIR SPRAYING

(Continued from page 13)

the dilute formulation and is thus spoken of as 2X, 3X, or 4X concentrate. For example, the 2X concentration means that just one-half the amount of water used in dilute spraying is needed.

The advantages of concentrate spraying in row crops is quite evident. In addition to reducing the number of water-hauling trips, quicker drying of the spray material is made possible, eliminating runoff from foliage to the ground. This quick drying action can often spell the difference between adequate protection or not, especially in the event that a rain follows the application. Tests have shown that chewing insects are killed more quickly following concentrate spray applications.

Air spraying equipment is available in sizes to cover swath widths from 40 to 60 feet. Compare this to the 24- to 36-foot swath covered by conventional medium to large row crop booms, and it is apparent that the grower not only saves considerable time and labor, but also reduces considerably the number of "wheel rows" through his crops.

With the larger equipment designed to spray a 60-foot swath, traveling at a ground speed of 4 miles per hour, spraying is done at the rate of 24 acres per hour. It is interesting to note that not too many years ago, this same 24 acres would have been considered a good day's spraying for the average hydraulic sprayer—even with a large boom. Air spraying offers another distinctive advantage in that it eliminates the necessity of adapting the boom to specific row widths for a given crop.

Another outstanding advantage of the air sprayer is that by eliminating the unwieldy boom, you eliminate the problems of coping with uneven terrain and obstacles such as trees and fences, and transporting the sprayer through gateways, etc.

Complete, Even Coverage

Perhaps the outstanding problem of row crop air spraying is that of properly controlling the chemical-laden air throughout the entire width of swath so as not to damage plants close to the sprayer, keep the plants standing upright, and make the chemical-laden air circulate throughout all parts of the plants.

To accomplish this, an air outlet was designed to allow the largest volume of air to be discharged through the upper portion in order to reach the outer end of the swath and still allow enough air to be dis-



Protect your property now this new easy way.

Here's a new way to keep out foraging deer – MAGIC CIRCLE Deer Repellent. It's an easy-touse chemical, that, sprayed on the ground forms a band of special deer-repelling odor around yards, orchards, gardens and fields. Deer just won't cross it. Ingredients have been proven by tests at Pennsylvania's leading agricultural University.

- keeps out deer, and in most cases, beaver, woodchuck, raccoon and skunk
- use with most ordinary sprays or by itself
- · won't harm plants
- · won't harm spray equipment
- low in cost
- · one and five gallon containers

STATE COLLEGE LABORATORIES State College, Pa.





spray stops damage



operty now

to keep out GIC CIRCLE s an easy-toprayed on the nd of special around yards, l fields. Deer

Ingredients tests at Pennicultural Uni-

in most cases, , raccoon and

dinary sprays

equipment

containers

GE

ELON

S. Tested) NENTAL , INC. W. Adams St.

-CAW racker ROPE

cost! Write and details.

BANDS TWIST-EMS

:0. S: Hulmeville, Pa.

TABLE GROWER



LIFT OR LOWER - FLOOR TO FLOOR - WITH A STANDARD INCLINEBELT



Move boxes, cases, cartons, sacks or bundles from basement to first floor, or any floor to floor — continuously with any floor to floor — continuously with the Standard Inclinebelt. Compact — simple to install — minimum mainte-nance and attention. Lifts or lowers 10 to 20 lbs. of live load per ft.; floor ele-vations of 8 ft. to 14 ft. 6 inches inclu-sive; two belt widths to handle com-modities 15½ inches to 25½ inches wide. Electric motor operated. Write for INCLINEBELT Bulletin — address Dept. 5.5

STANDARD CONVEYOR COMPANY

General Offices: North St. Paul 9, Minn. Sales and Service in Principal Cities



charged from the lower outlet to get even distribution of the spray material to plants close to the sprayer and to the middle of the swath-in other words, complete and even coverage throughout.

Engineers also found that it was necessary to move out the "dead air" trapped within and under the plant, so that it could be replaced with chemical-laden air. In addition to a properly designed air outlet, the proper air volume and air velocity had to be employed. Air volume ranges from 12,000 to 31,000 cubic feet per minute, and air velocity from 70 to 100 miles per hour in the modern air sprayer. Like the older boom-type sprayers, air volume—like pump capacity—largely determines the "rate of work" which can be obtained from the sprayer.

Wind No Problem


Another outstanding feature of the modern air sprayer is its horizontal rotation. The discharge head can be rotated horizontally so that spray can be delivered at virtually any desired angle from the line of travel through the field. This allows the operator to take full advantage of wind conditions and spray from either the right or the left side.

For example, while spraying to-matoes in central Indiana on a windy day, it was possible to increase swath width considerably while spraying against the wind by merely "quartering" the direction of the air stream directly into the wind instead of at an exact right angle to the direction of the sprayer's ground travel. Many experiences similar to this have proved the desirability of horizontal rotation of the discharge head.

The first logical step taken by manufacturers of spray equipment was the introduction of the air attachment to replace the boom on existing row crop sprayers. Many growers have good, serviceable highpressure equipment, and the air attachment keeps their investment at a minimum. The attachment has been accepted by many leading growers, and it is apparent that row crop air spraying will soon be used as universally as air spraying in commercial fruit growing.

Actually, it has taken approxi-mately 15 years to develop orchard sprayers to the point where approximately 85% of all orchards in the nation, 20 acres or more in size, now use air sprayers. It is apparent that universal acceptance of row crop air spraying will be accomplished in much less time.

The advantages add up to a savings of some 50 to 75% in labor and 25 to 35% in the over-all cost of THE END. spraying.



NEW KYS® BERRY BASKETS Cut packing costs and improve display of fruits and vegetables

- * Made from pure, white woodpulp for attractive display.
- ★ Proper absorbency and ventilation protect your product.
- * Individually molded for extra strength and rigidity.
- ★ Uniform size and shape . capacity approved by U.S.D.A.
- * More economical than any ordinary pint container.

By the makers of famous ROYAL CHI-NET® Molded Paper Plates

MAIL THIS COUPON

Keyes Fibre Company, Dept. AV Waterville, Maine Please send further information or KYS® BERRY BASKETS.

NAME OF FIRM ADDRESS





America's lowest cost vehicle for light farm hauling now offers a heavier, more powerful Cushman Husky engine for greater than ever performance and economy. Handles up to 500 pound payload. Fibre glass cab available for weather protection, also electric starter as optional equipment.

 Sold and serviced nationally;
 Ask your Cushman dealer replacement parts available immediately for FREE demonstration

Dealer inquiries invited.

Write for new FREE booklet today CUSHMAN MOTOR WORKS, INC. 991 No. 21st, Lincoln, Nebraska

VEGETABLE PLANTS

Cabbage, Onions, Tomatoes, Pepper, Collards, Broccoli, Brussels Sprouts, Cauliflower, Eggplants, and Sweet Potatoes.

Best strains of leading varieties. Shipments catering to market gardeners' demands. Free price list.

TEXAS PLANT FARMS JACKSONVILLE, TEXAS

Pressure SPRA

scial valu



800 Lbs. Working Pressure

Horticultural hose is new, first-grade, flexible. Resists oils, chemicals, insecticides, any D.D.T. spray. Couplings attached to fit all High-Pressure Sprayers. Shipped C.D.D., plus freight—or postpaid, if payment sentwith order. Satisfaction guaranteed — or your money refunded.

CHOICE OF		ERS	
LENGTHS	36"	1/2"	3/4"
25 ft. 50 ft. 75 ft. 100 ft.	\$10.25 19.00 27.75 36.50	\$11.75 21.75 31.75 41.75	\$16.25 30.00 43.75 57.50

Agricultural Rubber Products Corp. Jul Washington St., New York, N. Y.

OPPORTUNITY ADS

Only 25c a word for one-time insertion; 20c a word for two-time insertion; 15c a word for four-time insertion—CASH WITH ORDER. Count each initial and whole number as one word. Copy must be in first formonth preceding date of issue. ADDRESS AMERICAN VEGETABLE GROWER, Willoughby Obtains Willoughby, Ohio.

AGENTS WANTED

FARMERS, AGENTS, DEALERS—SELL Nutrilene Hi-Mag liquid fertilizer. Liberal profits, full or part time. District Manager position available. Send for sales kit. Box 246, NUTRI-LENE FERTILIZERS, St. Joseph, Michigan.

BEES INCREASE SEED AND FRUIT yields, require little attention. Big profits. Sting-proof seguinent. Factory prices save 25%. Free advice from experienced bee men. Free catalogue. WALTER T. RELLEY CO., Dept. D., Clarkson, Kentucky.

ROOKS

THE HOW TO BOOK ON STRAWBERRIES.
Common sense treatment of the must and must-not in strawberry culture. Fully illustrated. \$1.50.
AMERICAN VEGETABLE GROWER, Box 107,
Willoughby, Ohio.

FOR ONLY \$1.00, WE WILL SEND COPY OF 1956 issue. Former price \$2.00. Supply limited, maximum two to a reader. AMERICAN TO-MATO YEARBOOK, Box 142-A, Westfield, New Jersey.

FOR ONLY \$1.00, WE WILL SEND COPY OF 1956 issue. Former price \$2.00. Supply limited, 1930 issue. Former price \$2.00. Supply limited, maximum three to a reader. AMERICAN POTATO YEARBOOK, Box 142-A, Westfield, New

BUSINESS OPPORTUNITIES

\$100.00 WEEKLY RAISING EARTHWORMS! Free plan reveals how! OAKHAVEN-25, Cedar Hill, Texas.

FOR SALE-EQUIPMENT & SUPPLIES .

USED SPRAYERS, JOHN BEAN MODEL 8 and Besler Blower, John Bean Self-Propelled Hi-Crop, Trescott and Bean Graders, Cider Presses, and crates. MARVIN FAETH, Fort Madison, Iowa.

ONE ALLIS CHALMERS MODEL G, 1953 with 5-row seeder and Ariens tillivator in very good condition—\$1750.00 cash. One Felins electricying machine in good condition—\$75.00. One Felins tumbler washer (10 bushel capacity)—\$50.00. ANGELO BERNACCHI & SONS, South Indiana Avenue, La Porte, Indiana.

ROOT SIX-ROW DUSTER, BRIGGS EN-gine. Mounted on two wheel rubber tired trailer. Good condition. \$150.00 DON SCHETTER, Route No. 1, Fostoria, Ohio.

FOR SALE: 2 FELINS TYING MACHINES. One almost new. MARCHAND BRO., Goshen,

IRRIGATION SYSTEMS

500 GALLONS PER MINUTE IRRIGATING pump powered by 125 HP Chrysler Industrial Motor \$900.00. A1 condition. Trailer mounted. R. A. SIVON, Perry, Ohio.

MISCELLANEOUS

MAILING LISTS—100,000 CAREFULLY SE-lected names in the Agricultural Field. Indi-vidual lists of Potato Growers, Tomato Growers, Corn Growers and many others. Ideal for firms wishing to contact leading growers and dealers, For details write: MACFARLAND CO., Box 2, 8 Elm St., Westfield, N.J.

100 ENVELOPES 100 LETTERHEADS Printed \$1.00. MARTIN'S SERVICE, Lawson Street, Martinsville, Va.

OF INTEREST TO WOMEN
OUILTING? REMNANTS? POUND, 15c UP.
Lists, Samples. RAINBOW, Estill Springs, Tenn. LEARN PROFESSIONAL CAKE DECORAT-ing. Details free. DECO-SECRETS, Venice 33,

PLANTS AND SEEDS

SWEET POTATO PLANTS. GUARANTEED. Improved Portoricans, Tennessee Nancy Halls, "Bunch" vineless Portoricans, 200, \$1.00; 50, \$2.00; 1,000, \$3.50; 10,000, \$30.00. Quick shipments. Planting guide free. PETE TAYLOR, Gleason, Tennessee.

STRAWBERRY PLANTS ESSENTIALLY VI-rus free, also No. one blueberry and raspberry plants. Write for free descriptive folder. FLOR-INA GARDENS, Greenfield, Mass.

SWEET POTATO PLANTS LEADING VAR-ieties. Write for prices and free growers guide. J. D. DELLINGER, Gleason, Tenn.

ta

aı

cl

th

pa

Y

red

CHINESE VEGETABLE "BOK CHOY" seeds \$1.00 a packet JOHN CHIN, 916 Kings Highway, Brooklyn 23, N.Y.

FOUNDATION SEBAGO AND CHEROKEE also Certified Sebago Seed Potatoes. NORTH MICH SEED FARM, Elmira, Mich.

TENNESSEE REGISTERED (VIRUS-FREE) strawberry plants: Blakemore, Dunlap, Klonmore. Klondyke, Missionary, Florida Ninety \$6.00 per thousand. Albritton, Aroma, Bellmar, Tennessee Beauty, Catakill, Robinson, Premier \$8.00. Dixiband, Sparkle \$10.00. Pocabontas \$12.00. SMITH BERRY GARDENS. Ooltewah, Tennessee.

HARDY CHRYSANTHEMUMS, BEAUTIFUL collection of hardy mums, large flowering, intermediate, Pempom, Button, Cushion. Each collection made up from 90 named varieties, No. 1 grade plants. Surplus from our regular wholesale trade. Positively guaranteed. 18 healthy plants \$2,00. Postpaid when wanted. ELM TREE PERENNIAL FARM, Southington, Conn.

SWEET POTATO PLANTS. PORTO RICAN, Nancy Hall, Gold Rush, Bunch Porto Rican, Velvet Red. Following prices POSTPAID. 200-\$1.20, 300-\$1.60, 300-\$2.25, 1,000-\$4.50, 5,000-\$21.25. Our seeds are treated for prevention of disease. We guarantee prompt shipment. FARM-ERS PLANT CO., Gleason, Tenn.

Strong plants. Produces enormous crops giant, round, amooth fruits. Live delivery guaranteed. 12-\$1.40, 50-\$5.00 Mossed, Postpaid. No shipments west Mississippi River. PETRIE'S PANSY GARDENS, 411 South Ravenel, Columbia, South Carolina. BURPEE'S BIG BOY F-1 HYBRID TOMATO.

BLOOMING SIZE TOMATO PLANTS. RUT-gers, Valiant, Pritchard, Kokomo, Garden State, Queens. \$6.00 per 1,000. 3,000 up \$5.00 per 1,000. California Wonder \$4.00 per 1,000. TURNER COUNTY PLANT FARM, Rebecca, Georgia.

WANTED: 1 TON JERUSALEM ARTI-chokes, please quote W. H. PERRON & CO., LTD., 515 Labelle Blvd., L'Abord a Plouffe, P.Q., Canada

SALESMEN REQUIRED

-North Central Territory -New York and New England States Central Southern States

Positions open with National manufacturer (listed on N. Y. Stock Exchange) to sell Fresh Vegetable and Deciduous Fruit Packing Equipment. Experience required in reading blueprints and in making plant layouts for equipment installation. Experience required in reading blueprints and in making plant layouts for equipment installation.

Knowledge of packing operations in this field desirable. Engineering education desirable but not essential.

Compensation includes: Salary and barrens.

but not essential.

Compensation includes: Salary and bonus; travel expense and car; Retirement Insurance;
Health, Accident and Life Insurance.

Send application with complete details to

AMERICAN VEGETABLE GROWER

Box 109

Willoughby, Ohio

WATCH FOR THE JUNE ISSUE WITH PROFIT-MAKING IDEAS ON HOW IRRIGATION CAN HELP YOU GROW BETTER CROPS OUS

CAREFULLY SE. ltural Field. Indi-to, Tomato Growers, rs. Ideal for firms owers and dealers. AND CO., Box 2,

LETTERHEADS ERVICE, Lawson

WOMEN

POUND, 15c UP. still Springs, Tenn. CAKE DECORAT-RETS, Venice 33,

EEDS

GUARANTEED.
ssee Nancy Halls,
200, \$1.00; 500,
30.00. Quick shipPETE TAYLOR,

SSENTIALLY VI-erry and raspberry tive folder. FLOR-Mass.

LEADING VAR-ree growers guide. Tenn.

"BOK CHOY" CHIN, 916 Kings

ND CHEROKEE Potatoes. NORTH Mich.

D (VIRUS-FREE)
Dunlap, Klonmore,
Ninety \$6.00 per
Bellmar, Tennessee
emier \$8.00. Dixias \$12.00. SMITH
ah, Tennessee.

MS. BEAUTIFUL
ge flowering, interdon. Each collection
teties, No. 1 grade
lar wholesale trade
lithy plants \$2,00.
TREE PEREN-

PORTO RICAN, inch Porto Rican, POSTPAID. 200-1,000-\$4.50, 5,000-for prevention of shipment. FARM-Tenn.

BRID TOMATO. mous crops giant, elivery guaranteed. paid. No shipments ETRIE'S PANSY el, Columbia, South

PLANTS. RUT-omo, Garden State, up \$5.00 per 1,000. ,000. FARM, Rebecca,

USALEM ARTI-PERRON & CO., ord a Plouffe, P.Q.,

change) to sell for equipment ation desirable ent Insurance:

hby, Ohio

ING IDEAS TER CROPS ETABLE GROWER

New for You

Transplanting Made Easy

Vegetable growers in Ohio are enthusiastic about a new transplanter. The new machine has been field-tested and has many long-needed advantages. Growers report that plants set are about 98% perfect with the machine. By following the contour of the ground, even furrow depth and uniform sets are assured. Adjustable pack wheels give a tight soil seal, re-moving air from around the roots. The furrow depth is regulated by a handy depth control lever, and a selfcleaning water valve insures the



proper amount of water to each transplant. This new machine will save you money and increase yields. Get the facts-write New Idea Farm Equipment Co., Dept. 2067, Coldwater, Ohio.

Be sure to mention AMERICAN VEGETABLE GROWER when writing manufacturers.

Your Money Back

Middle West potato growers have increased their potato yields by using a new product called ActivO. This new product is applied to the seed and immediately reacts on the soil and seed, developing in the soil billions of organisms so necessary to top production. Several growers tell me ActivO works better than fertilizer. The manufacturer says he will give our readers their money back if ActivO doesn't produce more and better potatoes. Why not try this new product; a trial package enough for 9 to 18 bushels costs only \$2.95. Write Bill Benson, ActivO Process, Inc., Bridgeton, Ind.









SINOX PE, in pre-emergence application, is highly selective. It singles out and halts weed growth in: BEANS AND SWEET CORN, PEAS AND POTATOES.

SINOX PE "polices" the area, eliminates the destructive weeds and conserves all available plant food elements and moisture for the crop itself.

SINOX PE does a big labor/dollar-saving job for you and works 'round the clock . not any eight hour shifts! SINOX PEworks while you sleep! Remember – good weed control is good farm economics . . .

STANDARD Agricultural CHEMICALS INC.

1301 Jefferson Street, Hoboken, New Jersey 429 Forum Building, Sacramento, Calif.

Easiest and Cheapest Way

TO HULL PEAS, LIMA BEANS, ETC.

USE A

DIXIE HULLER

You lose money when you hull English peas, lima beans, field peas, etc. by hand. You can avoid this loss by using the Dixie "Pea and Bean Huller," which does the job mechanically. It hulls a bushel every few minutes.

Hundreds of growers are now saving time and money by using the Dixie Huller. Why let tedious hand labor slow up production, increase your costs and reduce your profits when the Dixie Huller performs so satisfactorily? Write for descriptive circular, which gives full details, prices, etc.



DIXIE CANNER COMPANY

P.O. BOX 1348 . ATHENS, GEORGIA

Challenges of a Competitive Industry

TODAY the annual investment in research by industry, government, and other agencies in the United States is larger than their total investment in research prior to 1930. The phenomenal changes that are taking place in many aspects of the vegetable industry are in large part a result of research, expanded industrial activity, and a rapidly rising population that is able to support the highest standard of living in history.

In 1956 the average acre yield of potatoes in the United States was 290 bushels. Ten years ago it was 193, and 20 years ago only 117! The postwar increase in the efficiency of potato production is greater than that of any other industry, and has resulted in an acreage reduction of over 50%. Unfortunately, this efficient production has resulted in surpluses that frequently have made potato

production unprofitable.

This year the average acre yield of tomatoes for canning was more than twice that of 10 years ago. On 200,000 fewer acres than in 1946, over 1 million more tons were produced. In many other processing crops, the 1956 yield per acre was more than 30% higher than 10 years ago. Productivity of lima beans and snap beans increased 56%; that of cucumbers for pickling and spinach, 48%; and of sweet corn, 35%.

To attain these increases, processing crops and potatoes have been shifted to and concentrated in areas having climatic patterns that favor their production, grown on soils of high productivity, with proven cultural practices and using high-quality

seed of adapted varieties.

We think that in spite of surpluses which an expanding population will not eliminate in the near future, one of the chief problems of the vegetable industry will be to increase the efficiency per hour of labor through advances in mechanization and the production of crops having a larger value per acre.

The mechanization of most phases of the vegetable industry lags behind industry and most of agriculture. Advances and improvements in the mechanization of seeding or planting, pest control, and particularly of harvesting operations are challenges that will have to be met in the future.

In seeding, machinery that spaces seed more accurately and uniformly when operating at high speed is required to reduce labor costs in thinning operations and insure more satisfactory stands.

Machinery that applies fertilizer or pest control chemicals more uniformly and effectively will be required to improve efficiency in these operations and is a challenge to the farm machin-

ery industry.

Mechanization of green bean, tomato, and cucumber harvesting operations with minimum damage to the vines or the quality of the crop will soon be required to solve harvest labor problems with these and many other crops.

Increased mechanization means larger capitalization, necessitating larger operational units per grower or joint use by co-operating growers. Mechanization is only one important means of increasing efficiency, and must be combined with increasing productivity if maximum efficiency is

to result.

The productivity of a crop depends on four major factors: its genetic inheritance, the climate under which it is grown, the ability of the soil to meet its nutrient and water requirements, and finally, satisfactory protection against weed, insect, and disease pests. We feel that plant breeders have a challenge in developing varieties that are resistant to an increasing number of diseases, particularly viruses that tend to become established in any area over a period of time. Development of varieties that are particularly adapted to the climatic pattern under which, and the soil on which, they are to be grown will step up productivity.

Growers in the future must insist on and be ready to pay for seed that is properly grown, carefully harvested, free of disease, well-graded, and true to type. Only high-quality, well-adapted seed is really cheap; cheap seed may be very expensive.

Growers in the future will be increasingly challenged to try to fit new crops or new varieties to their particular climate. The effects of low and high temperatures and the hazards of frost and drought will have to be

QUOTE-OF-THE-MONTH

"One is never in such intimate contact with plants as in a greenhouse."

-Liberty Hyde Bailey

evaluated in terms of the varieties or crops that will withstand them or to minimize them.

Soil and water conservation will become more necessary with the higher productivity of the future, particularly with continued cropping. With a growing lack of new areas for horizontal expansion of acreage, more emphasis in the future will be placed on vertical expansion into the second and third foot to increase production efficiency. Many practices that promote deeper rooting and improve soil structure in the second foot will help increase productivity at minimum expense. Where irrigation is not feasible or economical, promoting increased root development in the subsoil will aid in overcoming drought and help insure better quality. Organic matter from heavily fertilized green manure or cover crops will do much to promote granulation and maintain a favorable nutrient supply in the soil during the growth of the vegetable crop.

We forecast that a better husbandry will be required in the future to remain competitive.

VEGETABLE CONVENTION



"I'd like a room with a bath,"

Coming Next Month

- · How to Cultivate to Increase Yields
- . Irrigation Boosts Potato Yields

Acre

- Overcoming Greenhouse Watering Problems
- Grower Experiences with Sprinklers in Texas
- Irrigating Root Crops in New England
 Closer Spacing Makes More Melons per
- Learn about the Root Systems of Your Plants

S

re to be grown

are must insist y for seed that carefully hare, well-graded, y high-quality, really cheap; ery expensive. are will be into try to fit new to their particuts of low and the hazards of ill have to be

MONTH intimate contact shouse." rty Hyde Bailey

the varieties or tand them or

servation will with the highuture, particuropping. With areas for horiacreage, more will be placed nto the second ase production tices that prod improve soil foot will help at minimum gation is not promoting inent in the subming drought quality. Orwily fertilized crops will do anulation and utrient supply growth of the

better husbanthe future to

Month


crease Yields
o Yields
Watering Prob-

th Sprinklers in

n New England Iore Melons per

ystems of Your

ETABLE GROWER



Spra-Blast with 400-gallon Oliver PTO Sprayer, Two side units and boom under unit can be controlled independently.

How Spra-Blast cuts spraying costs and boosts produce quality and yield

- ☆ Spraying time, refueling time cut ²/₃
- ☆ Uses less water and reduces wheel damage
- ☆ Complete pest control with uniform coverage
- ☆ Low upkeep with smoothrunning fan, 36 h.p. engine
- ☆ Fast, accurate handling saves time

Here's a triple boost for vegetable profits. New concentrate sprays require only about one-third as much water, one-third as much refilling time, one-third as much tramping of the field, one-third as much wheel damage—that means better produce quality, bigger yields and bigger profits.


You get top-notch pest control, too. Big air blast fan distributes spray material to every leaf and stem surface in a 50- to 60-foot swath. Modern aerodynamic design assures uniform air blast and spray coverage to every row...no stripping of foliage on the close rows, no skimpy coverage for the outside rows.

And you're sure of year-in and year-out dependability. Extra power in easy-to-start 36 h.p. air-cooled engine. Rubber-set fan hub reduces vibration and wear. Iron Age high-pressure pump delivers uniform gallonage under wide pressure ranges. Short coupled frame makes turning easier, more accurate.

See your Oliver Dealer and see how Spra-Blast can cut spraying costs and boost produce profits for you—either as a complete Iron Age unit or as an attachment for your present sprayer.

The Oliver Corporation, 400 West Madison St., Chicago 6, Illinois





where vigor counts

Time and again Asgrow Vigorpak Seed has outperformed ordinary seed in the plant bed





FOR RAPID, UNIFORM EMERGENCE,
BETTER SEEDLING VIGOR UNDER
RUGGED FIELD CONDITIONS,

START YOUR FALL CROPS WITH ASGROW VIGORPAK SEED

ASSOCIATED SEED GROWERS, INC.

ATLANTA 2 MILFORD, CONN

CAMBRIDGE, N.Y. OAKLAND 4 INDIANAPOLIS :

EXMORE, VA
SAN ANTONIO 11

VINELAND, N.J.

Distributors In Florida: The Kilgore Seed Co., Plant City International Division: Asgrow Export Corp., Milford, Conn